


Sales Packet




MegaNatural[®] Grape Seed Extracts and their role in Sports Nutrition





Authored by: James A. Kennedy, Ph.D.

MegaNatural® Grape Seed Extracts And Their Role In Sports Nutrition






MegaNatural® grape seed extracts may help support your Sports Nutrition needs

Proper nutrition is critically important whether you are a competitive athlete at the top of your game or you're just staying active as part of your strategy to remain healthy. At Polyphenolics we understand that healthfulness is critical to happiness and believe that our MegaNatural® grape seed extracts should play an important role in helping you to stay active, here is why.



Oxidative Stress

From the sunlight that we love so much to the air that we respire, the human body is under constant exposure to oxidative stress. With that said, when we exercise, our bodies often operate beyond our ability to manage oxidative stress. Specifically, we breathe harder and our hearts beat faster to ensure that we receive the extra oxygen that we need. It is in times of this additional level of stress that supplementing our antioxidant system with antioxidants may be beneficial. MegaNatural® grape seed extracts are one possible way to help us cope with the oxidative stress that our bodies experience during exercise.*



Free Radicals

When we breathe harder, we experience an increase in oxidative stress caused by the production of damaging free radicals. The production of these free radicals is a normal part of living and our bodies have an elegant antioxidant system for coping with these potentially damaging substances. Exercise increases the production of these radicals, and radical production can exceed the antioxidant system. Left unchecked, these radicals can lead to cellular damage. MegaNatural® grape seed extracts are rich in antioxidants and may reduce free radicals.*

What differentiates MegaNatural® grape seed extracts from others?



Polyphenolics' MegaNatural® grape seed extracts are traceable to the exact California vineyard they were grown in. Not all grape seed extract suppliers are able to make the same claim. Through relentless testing and painstaking record keeping, Polyphenolics is able to guarantee that MegaNatural® grape seed extracts remain adulterant free. Because ensuring the safety of consumers is of utmost importance, Polyphenolics is a proud supporter of the American Botanical Council's Botanical Adulterants Program.

MegaNatural® advantages above competitors:

- Patented Process
- Unique Composition
- Highly Consistent
- Clinically Shown
- Relentlessly Tested
- FDA No-Objection GRAS
- 100% Water Soluble
- 100% California-grown Grapes
- 100% Pure Grape Seed Extract
- Successful use in Sport Nutrition products for years



^{*}This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MegaNatural®-Gold grape seed extract: Powerful Antioxidant Activity




One of the richest sources of natural antioxidants is grape seed extract.

Not all antioxidants are the same or as effective. MegaNatural®-Gold a unique form of grape seed extract is an antioxidant, and because it can be absorbed into our bodies, MegaNatural®-Gold increases the antioxidant activity of blood plasma in human subjects.*

- A daily serving of grape seed extract has been found to improve the antioxidant status after thirty days, in elite athletes
- Moreover, clinical studies have found that grape seed extract supplementation improves the performance in elite athletes.
- Clinical studies show that MegaNatural®-Gold remains active in the bloodstream for over four hours.
- When MegaNatural®-Gold is taken in combination with either Vitamin C or Vitamin E, the vitamin's antioxidant capacity is doubled.
- MegaNatural®-Gold is a natural option to include when considering supplemental antioxidants as part of your sports nutrition program.*

MegaNatural^{*} -Gold

A unique form of grape seed extract that has been clinically shown to be an effective antioxidant.*



 $Fig.\ 1.\ Quantity\ and\ quality\ of\ pure\ antioxidants\ and\ antioxidants\ in\ foods, beverages, and\ extracts.\ Adapted\ from\ Vinson\ et\ al.,\ 2001.$




Fig. 2. Average change in plasma epicatechin in nine subjects given 200 and 300 mg of MegaNatural®-Gold. *P < .01 versus 200-mg dose. Adapted from Vinson et al., 2001.

Safety

In addition to the natural benefits of our MegaNatural® grape seed extracts, it is also important to note that our clinically studied grape seed extracts are produced using a patented hot water extraction process for maximum effectiveness. Our grape seed extracts have been granted a no-objection generally recognized as safe (GRAS) status by the Food and Drug Administration (FDA).

- Non-toxic, Non-clastogenic
- FDA No-Objection GRAS
- Free of Side Effects
- · Relentlessly Tested
- Highly Consistent
- · Hot Water Extracted
- Safe History



^{*}This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MegaNatural®-BP grape seed extract: Multiple benefits in one supplement



- + Another MegaNatural® Antioxidant
 Like MegaNatural®-Gold, MegaNatural®-BP is also a powerful and effective antioxidant.*
- + Helps maintain healthy Nitric Oxide levels

Many athletes seek out sports nutrition supplements that promote Nitric Oxide benefits. Nitric Oxide is important in maintaining the function of the interior lining of your arteries (endothelium). MegaNatural®-BP has been clinically shown to help support endothelial function by maintaining healthy nitric oxide levels within the normal range. This helps support healthy vasodilation and blood flow.*

+ Helps maintain healthy Blood Pressure levels

As for that beating heart, we know that the health of our cardiovascular system is key to optimal health and well-being. Studies have shown that an increase in dietary flavonoids are associated with a reduction in cardiovascular disease. In line with this, our MegaNatural®-BP has been shown to positively impact biochemical markers associated with cardiovascular health. Moreover, MegaNatural®-BP has been clinically studied in humans and has been found to support heart health.*

One of the key indicators of a healthy heart is healthy blood pressure. Blood pressure is measured in two numbers: the higher number represents systolic blood pressure (the force when the heart contracts); the lower number represents diastolic blood pressure (the force when the heart rests). Below 120/80 mmHg is considered healthy. Systolic blood pressure is known to rise during exercise. This isn't a problem if the increased demands are occasional, such as during intense exercise. However, if your blood pressure has been slowly increasing over the years into the prehypertension range, this puts tremendous stress on such an important organ. MegaNatural®-BP has been shown in three human clinical studies to help maintain healthy blood pressure within the normal range.*

MegaNatural°-BP

A unique form of grape seed extract is an antioxidant that helps support endothelial function by maintaining healthy nitric oxide levels that are within the normal range. This helps support healthy vasodilation and blood flow.*

MegaNatural^{*}-BP

A unique form of grape seed extract that has been clinically shown to maintain healthy blood pressure levels within the normal range.*

Nationally Recognized

MegaNatural*-BP is the recipient of the prestigious Frost & Sullivan 2010 North American Product Differentiation Excellence of the Year Award, "in recognition of Polyphenolics' sharp focus on research and development, technological process innovation, and associations with major research organizations and universities resulting in a strikingly differentiated grape seed extract."

Intellectually Protected

MegaNatural*-BP is protected by a portfolio of intellectual property, including four patents — a production flow process patent (U.S. patent No. 6,544,581 B1), a method of use patent (U.S. patent No. 7,651,707 B2), a composition patent (U.S. patent No. 7,767,235 B2), an exclusive production process patent (U.S. patent No. 8,075,929 B2), — and a trademarked brand name. Several patents have also been issued worldwide. This portfolio clearly differentiates MegaNatural*-BP from commodity grape seed extracts.



Formulating with MegaNatural® grape seed extracts MegaNatural® Grape Seed Extracts are 100% water soluble, so they can easily be added to functional beverages without precipitating out of solution. They can also be included in capsules, shots, shakes, gummies, gels, bars, powder mixes, etc.

^{*}This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MegaNatural®-BP: The patented grape seed extract with clinically shown health benefits

MegaNatural®BP
grape seed extract —
blood pressure maintenance

As a science-driven organization, Polyphenolics has invested heavily in original research on MegaNatural*-BP at both the laboratory and clinical levels. Why is original research important?

Because multiple factors — from the grape varietals chosen, to the time of harvest, to the extraction technique — can influence the constituent profile of the finished product. The only way to know if a particular extract has biological efficacy is to test the specific composition of the extract.

Mechanism of Action

Edirisinghe I, Burton-Freeman B, Kappagoda CT Mechanism of the endothelium-dependent relaxation evoked by a grape seed extract. *Clin. Sci.* 2008; 114: 331-337.

How does MegaNatural* BP work? Research using animal models indicates that it activates the enzyme nitric oxide synthase (eNOS) to produce nitric oxide (NO).

NO is a gaseous compound that acts as a cellular messenger. When NO is present in the inner lining of the blood vessels (endothelium), it causes the surrounding smooth muscle to relax. This endothelium-dependent relaxation of the blood vessels then supports healthy blood flow.*

Human Clinical Trial #1

Sivaprakasapillai B, Edirisinghe I, Randolph J, Steinberg F, Kappagoda T. Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. *Metabolism*. 2009; 58:1743-1746.

Study Type: randomized, double-blind, placebo-controlled

Methodology: Twenty-five subjects were randomized into three groups: a.) placebo, b.) 150 mg MegaNatural*-BP per day and c.) 300 mg MegaNatural*-BP per day. Each group took their respective treatment for four weeks.

Results: Blood samples showed MegaNatural*-BP to be well-absorbed after a single dose, with a steep rise in polyphenols 90 minutes after ingestion. After four weeks, both dosages of MegaNatural*-BP were found to help maintain blood pressure levels (both systolic and diastolic) within the normal range.* In addition, both dosages decreased levels of oxidized LDL cholesterol, with the 300 mg dosage reaching statistical significance compared to baseline. Low levels of oxidized LDL are correlated to arterial health.*


Human Clinical Trial #2

Robinson M, Lu B, Edirisinghe I, Kappagoda CT. Effect of grape seed extract on blood pressure subjects with pre-hypertension. J. Pharm. Nutri. Sci. 2012;


Study Type: randomized, double-blind, placebo-controlled

Methodology: All 30 subjects began the trial by taking a placebo for two weeks. Then, they were randomized into two groups: a.) placebo and b.) 300 mg MegaNatural*-BP per day. Each group took their respective treatment for eight weeks.

Results: After eight weeks, MegaNatural*-BP was found to help maintain blood pressure levels (systolic and diastolic) within the normal range.*



A study in rabbit aortic rings shows MegaNatural® BP causes a relaxation of the blood vessels which is similar to that elicited by acetylcholine – a known vasodilator*



MegaNatural BP was found to help maintain blood pressure levels within normal range. $\!\!\!\!\!\!^*$

Human Clinical Trial #3

Park E, Edirisinghe I, Choy YY, Waterhouse A, Burton-Freeman B. Effects of grape seed extract beverage on blood pressure and metabolic indices in individuals with pre-hypertension: a randomised, double-blinded, two-arm, parallel, placebo-controlled trial. Brit. J. Nutr. 2016; 115: 226-38.

Study Type: A single-center, randomized, double-blinded, placebo-controlled, 12-week, parallel study

Methodology: 29 middle age adults with pre-hypertension consumed a fruit-flavored beverage placebo or 150 mg MegaNatural*-BP twice per day (300 mg per day) in a fruit-flavored beverage for six weeks, preceded by two week placebo run-in and four week no-beverage follow-up.

Results: After six weeks, MegaNatural*-BP was found to help maintain blood pressure levels within the normal range.* After four weeks discontinuation of GSE beverage, blood pressure increased to original levels.

^{*} This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

About Polyphenolics

Founded in 1996, Polyphenolics is a science-driven organization dedicated to researching and developing innovative products using grape-seed-derived polyphenols to deliver specific and documented health benefits.



Vertical Integration

As a division of Constellation Brands, the largest premium wine company in the world, Polyphenolics has access to an abundant supply of fresh wine grapes, grown in California's Central Valley, and retains complete control over the entire manufacturing process — from the initial selection of wine grapes to the final extraction of finished material. The company goes beyond federally mandated traceability requirements, documenting all aspects of growing, treating, and processing the grapes. Through painstaking supply chain documentation and laboratory testing, Polyphenolics can substantiate freshness, identity, domestic origin, and absence of chemical contaminants and genetic modification.

References

Camic CL, Housh TJ, Zuniga JM, et al. Effects of arginine-based supplements on the physical working capacity at the fatigue threshold. *J. Strength Cond. Res.* 2010; 24: 1306-12.

Caselli S, Segui AV, Quattrini F, et al. Upper normal values of blood pressure response to exercise in Olympic athletes. Am. Heart J. 2016; 177: 120-8.

Choy YY, Quifer-Rada P, Holstege DM, et al. Phenolics metabolites and substantial microbiome changes in pig feces by ingesting grape seed proanthocyanidins. *Food Funct.* 2014; 5: 2298-2308.

Close GL, Hamilton DL, Philp A, et al. New Strategies in sport nutrition to increase exercise performance. J. Free Radic. Biol. Med.; 2016; 98: 144-158.

Corder R, Wood EG, Khan NQ. Evaluation of the Antioxidant, vasodilator, anti-proliferative, and anti-adhesion properties of MegaNatural Whole Grape Extract, MegaNatural Grape Seed Extract, and MegaNatural Grape Skin Extract. William Harvey Institute. 2002. Unpublished Manuscript.

Corder R, Brown RE, Wood EG, et al. Evaluation of MegaNatural Whole Grape Extract, MegaNatural Grape Seed Extract, and MegaNatural Grape Skin Extract. William Harvey Institute. 2002. Unpublished Manuscript.

Corder R, Warburton RC, Khan NQ, et al. The procyanidin-induced pseudo laminar shear stress response: a new concept for the reversal of endothelial dysfunction. *Clin. Sci.* 2004; 107: 513-517.

Di Lorenzo C, Sousa LP, Pastor RF, et al. Beneficial effects of non-alcoholic grape-derived products on human health: A literature review. Bio Web of Conferences, 38th World Congress of Vine and Wine, 2015.

Edirisinghe I, Burton-Freeman B, Kappagoda CT Mechanism of the endothelium-dependent relaxation evoked by a grape seed extract. *Clin. Sci.* 2008; 114: 331-337. Kar P, Laight D, Rooprait HK. Effects of grape seed extract in Type 2 diabetic subjects at high cardiovascular risk: a double blind randomized placebo controlled trial examining metabolic markers, vascular tone, inflammation, oxidative stress and insulin sensitivity. *Diabet. Med.* 2009; 26: 526-531.

Kim JK, Nho HS, Park SK. Effect of Grape Seed Extract on Exercise Performance in Elite Basketball Players. Manuscript to be submitted for publication.

Quifer-Rada P, Choy YY, Calvert CC, et al. Use of metabolomics and lipidomics to evaluate the hypocholestreolemic effect of Proanthocyanidins from grape seed in a pig model. *Mol. Nutr. Food Res.* 2016; 00: 1-9

Park E, Edirisinghe I, Choy YY, Waterhouse A, Burton-Freeman B. Effects of grape seed extract beverage on blood pressure and metabolic indices in individuals with pre-hypertension: a randomised, double-blinded, two-arm, parallel, placebo-controlled trial. *Brit. J. Nutr.* 2016; 115: 226-38.

Robinson M, Lu B, Edirisinghe I, Kappagoda CT. Effect of grape seed extract on blood pressure subjects with pre-hypertension. *J. Pharm. Nutri.* Sci. 2012; 155-159. Rodriguez-Mateos A, Vauzour D, Krueger CG, Shanmuganayagam D, Reed J, Calani L, Mena P, Del Rio D, Crozier A. Bioavailability, bioactivity and impact on health of dietary flavonoids and related compounds: an update. *Arch. Toxicol.* 2014; 88: 1803-1853.

Sivaprakasapillai B, Edirisinghe I, Randolph J, Steinberg F, Kappagoda T. Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. *Metab. Clin. Exp.* 2009; 58: 1743-1746.

Vinson JA, Proch J, Bose P. MegaNatural Gold grapeseed extract: In Vitro antioxidant and in vivo human supplementation studies. J. Med. Food. 2001; 4: 17-26. Wang X, Ouyang YY, Liu J, Zhao G. Flavonoid intake and risk of CVD: A systematic review and meta-analysis of prospective cohort studies. Br. J. Nutr. 2014; 111: 1-11. Wright JR Jr, Williamson JD, Whelton PK, et al. A Randomized Trial of Intensive versus Standard Blood-Pressure Control. New Engl. J. Med. 2015; 373: 2103-16.



For more information, contact:

Gregory A. Arabatzis
Director of Global Sales
908-941-6535
gregory.arabatzis@cbrands.com

Customer Service: 866.308.7678

Polyphenolics, a division of Constellation Brands



MegaNatural®-BP:

The patented grape seed extract with clinically shown health benefits

One of the key indicators of a healthy heart is healthy blood pressure. But what is blood pressure exactly, and why is it so important?

Blood pressure measures the amount of force exerted against the walls of the arteries in response to the pumping action of the heart. The intensity of that force depends on the volume of blood being pumped and the flexibility of the arteries.

Like a balloon being filled with water, pressure rises when the arteries contain a large amount of blood. Similarly, when the arteries lose some of their natural balloon-like flexibility, they can no longer expand easily to accommodate increased blood flow — again causing an increase in pressure.

Blood pressure is measured in two numbers: the higher number represents systolic blood pressure (the force when the heart contracts); the lower number represents diastolic blood pressure (the force when the heart rests). Below 120 mmHg/80 mmHg is considered healthy.

Why Maintaining Healthy Blood Pressure Is So Important

When blood pressure is healthy, the heart can pump blood at a relaxed pace. Once pressure in the arteries rises, the heart has to work harder to keep blood flowing. This isn't a problem if the increased demands on the heart are occasional, such as during intense exercise. However, forcing the heart to pump hard all the time puts tremendous stress on such an important organ.

As mentioned previously, arterial inflexibility leads to increased blood pressure. Unfortunately, the opposite is also true: elevated blood pressure causes the arteries to become even stiffer. Thus a vicious self-perpetuating cycle is initiated.

The Promise of MegaNatural®-BP

Fortunately, there is a natural way to help maintain blood pressure levels within a healthy range: polyphenols.* Naturally occurring in fruits, vegetables and red wine, polyphenols are a class of phyto-nutrients that have been scientifically demonstrated to support cardiovascular health.* One of the largest natural depositories of polyphenols is grape seed extract.

Manufactured exclusively by Polyphenolics, a division of Constellation Brands — the world's leading premium wine company — MegaNatural*-BP is a patented grape seed extract with clinically shown benefits. In fact, three placebocontrolled human clinical trials conducted by researchers at the Department of Preventative Cardiology, University of California Davis School of Medicine, have found that MegaNatural*-BP supports blood pressure within the normal range.*

No other grape seed extract can say the same, since MegaNatural*-BP has a unique structure and composition.

The MegaNatural*-BP Advantage: MegaNatural*-BP versus Commodity Grape Seed Extracts

Grape seed extracts abound. Only MegaNatural®-BP delivers all of the following advantages:

EFFICACY

Clinically Researched

MegaNatural*-BP is backed by three placebo-controlled human clinical trials showing it supports blood pressure within the normal range.* Importantly, additional research shows that commonplace grape seed extract does not have the same effect.


• U.C. Davis-associated

MegaNatural*-BP has the exclusive privilege of being associated with the Department of Preventive Cardiology at U.C. Davis, where researchers have conducted several clinical and in vitro studies on the ingredient.

ACTIVITY

Structurally Unique

By investing heavily in research that identifies and "captures" the molecular structures within grape seed shown to provide specific health benefits, Polyphenolics has developed a grape seed extract that is structurally unique, providing 90-95% total polyphenols — the biologically active constituents.



MegaNatural®-BP is structurally unique, providing 90-95% total polyphenols (as monomers, oligomers, and polymers).

• Improved Bioavailability

Because MegaNatural*-BP is selectively extracted to include a higher percentage of lower molecular weight polyphenols, it has improved bioavailability and greater absorption compared to other grape seed extracts.

^{*}This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

QUALITY

Vertically Integrated

As a division of Constellation Brands, Polyphenolics has access to an abundant supply of quality U.S.-grown grapes and maintains total control over the entire manufacturing process, from raw material procurement to final extraction.

Environmentally Friendly

The relationship between Polyphenolics and its parent company results in a uniquely sustainable model of agriculture wherein all parts of the grape are utilized. The grape juice is used to make wine, the unfermented grape seeds are used to manufacture MegaNatural*-BP and the grape skin and pulp provide the raw materials for producing MegaNatural*-GSKE Grape Pomace Extract.

SAFETY

· Non-toxic, Non-clastogenic

MegaNatural*-BP has been the subject of two published safety studies: a three-month oral toxicity study in rats and a high-dose clastogenic study in mice (clastogens are substances that cause damage to chromosomes). MegaNatural*-BP was shown to be non-toxic and non-clastogenic.

• GRAS (Generally Recognized As Safe)

After submitting the above safety studies to FDA, MegaNatural*-BP received No-Objection GRAS status, making it safe for use in foods, medical foods and beverages, in addition to dietary supplements.

Free of Side Effects

Clinical studies confirm MegaNatural*-BP is free of side effects, making it a safe and reliable option for people looking to maintain blood pressure within a healthy range.*

Relentlessly Tested

Every lot of MegaNatural*-BP is rigorously tested for heavy metals, pesticides and microbiological contaminants to ensure purity and safety.

Chemical-free

MegaNatural*-BP is manufactured through a patented hot-water-based extraction process, without any traces of toxic chemicals or solvents in the final ingredient.

Safe History

Millions of MegaNatural*-BP capsules have been sold in the market for the past five years, providing further evidence of its safety.

RELIABILITY

• 100% Water-soluble

MegaNatural*-BP is 100% water-soluble, so it can be easily added to functional beverages without dissipating out of solution.

Highly Consistent

The consistency of every batch of MegaNatural*-BP is verified through specialized HPLC testing, the accepted protocol for measuring polyphenol profiles. Consistent activity guarantees consistent results.

DIFFERENTIATION

Nationally Recognized

MegaNatural*-BP is the recipient of the prestigious Frost & Sullivan 2010 North American Product Differentiation Excellence of the Year Award, "in recognition of Polyphenolics' sharp focus on research and development, technological process innovation, and associations with major research organizations and universities resulting in a strikingly differentiated grape seed extract."

• Intellectually Protected

MegaNatural*-BP is protected by a portfolio of intellectual property, including four patents — a production flow process patent (U.S. patent No. 6,544,581 B1), a method of use patent (U.S. patent No. 7,651,707 B2), a composition patent (U.S. patent No. 7,767,235 B2), an exclusive production process patent (U.S. patent No. 8,075,929 B2), — and a trademarked brand name. Several patents have also been issued worldwide. This portfolio clearly differentiates MegaNatural*-BP from commodity grape seed extracts.

Original Research on MegaNatural®-BP

While it may come as a surprise, the vast majority of raw materials in the marketplace today rely on "borrowed" science — studies performed on materials other than their own — to support their claims. MegaNatural*-BP is the rare exception.

As a science-driven organization, Polyphenolics has invested heavily in original research on MegaNatural*-BP at both the laboratory and clinical levels. Why is original research important? Because multiple factors — from the grape varietals chosen, to the time of harvest, to the extraction technique — can influence the constituent profile of the finished product. The only way to know if a particular extract has biological efficacy is to test the specific composition of the extract.

Mechanism of Action

Edirisinghe I, Burton-Freeman B, Tissa Kappagoda C. *Clin Sci (Lond).* 2008; 114:331-7.

How does MegaNatural*-BP work? Research using animal models indicates that it activates the enzyme nitric oxide synthase (eNOS) to produce nitric oxide (NO).

NO is a gaseous compound that acts as a cellular messenger. When NO is present in the inner lining of the blood vessels, known as the endothelium, it causes the surrounding smooth muscle to relax. This endothelium-dependent relaxation of the blood vessels then supports healthy blood flow.*

Human Clinical Trial #1

Sivaprakasapillai B, Edirisinghe I, Randolph J, Steinberg F, Kappagoda T. Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. *Metabolism.* 2009; 58:1743-1746.

Study Type: randomized, double-blind, placebo-controlled

Methodology: Twenty-five subjects were randomized into three groups: a.) placebo, b.) 150 mg MegaNatural*-BP per day and c.) 300 mg MegaNatural*-BP per day. Each group took their respective treatment for four weeks.

Results: Blood samples showed MegaNatural*-BP to be well-absorbed after a single dose, with a steep rise in polyphenols 90 minutes after ingestion. After four weeks, both dosages of MegaNatural*-BP were found to help maintain blood pressure levels (both systolic and diastolic) within the normal range.* In addition, both dosages decreased levels of oxidized LDL cholesterol, with the 300 mg dosage reaching statistical significance compared to baseline. Low levels of oxidized LDL are correlated to arterial health.*

Human Clinical Trial #2

Robinson M, Lu B, Edirisinghe I, Kappagoda CT. Effect of grape seed extract on blood pressure subjects with pre-hypertension. J Pharm Nutri Sci. 2012; 155-159.

Study Type: randomized, double-blind, placebo-controlled

Methodology: All 30 subjects began the trial by taking a placebo for two weeks. Then, they were randomized into two groups: a.) placebo and b.) 300 mg MegaNatural*-BP per day. Each group took their respective treatment for eight weeks.

Results: After eight weeks, MegaNatural*-BP was found to help maintain blood pressure levels (systolic and diastolic) within the normal range.*


Human Clinical Trial #3

Park E, Edirisinghe I, Choy YY, Waterhouse A, Burton-Freeman B. Effects of grape seed extract beverage on blood pressure and metabolic indices in individuals with pre-hypertension: a randomised, double-blinded, two-arm, parallel, placebo-controlled trial. Brit J Nutr. 2016; 115: 226-38. Study Type: randomized, double-blind, placebo-controlled.


Study Type: A single-center, randomized, double-blinded, placebo-controlled, 12-week, parallel study

Methodology: 29 middle age adults with pre-hypertension consumed a fruit-flavored beverage placebo or 150 mg MegaNatural*-BP twice per day (300 mg per day) in a fruit-flavored beverage for six weeks, preceded by two week placebo run-in and four week no-beverage follow-up.

Results: After six weeks, MegaNatural*-BP was found to help maintain blood pressure levels within the normal range.* After four weeks discontinuation of GSE beverage, blood pressure returned to baseline.



A study in rabbit aortic rings shows MegaNatural*-BP causes a relaxation of the blood vessels which is similar to that elicited by acetylcholine – a known vasodilator*.



MegaNatural*-BP was found to help maintain blood pressure levels within normal range.*

About Polyphenolics

Founded in 1996, Polyphenolics is a science-driven organization dedicated to researching and developing innovative products using grape-seed-derived polyphenols to deliver specific and documented health benefits.

Vertical Integration

As a division of Constellation Brands, Polyphenolics has access to an abundant supply of fresh wine grapes, grown in California's Central Valley, and retains complete control over the entire manufacturing process — from the initial selection of wine grapes to the final extraction of finished material. The company goes beyond federally mandated traceability requirements, documenting all aspects of growing, treating, and handling the varietal grapes. Through painstaking supply chain documentation and laboratory testing, Polyphenolics can substantiate freshness, identity, domestic origin, and absence of chemical contaminants and genetic modification.

Dedication to Science

Polyphenolics has invested considerable resources into identifying the particular molecular structures within grape seed that provide the greatest health benefits. In addition, Polyphenolics relentlessly tests its products for:

- · Efficacy, through human clinical trials
- · Mechanism of action, through laboratory research
- · Consistency, through HPLC testing
- · Safety, through microbiological, pesticide and heavy metal testing

Social and Environmental Responsibility

The relationship between Polyphenolics and its parent company Constellation Brands results in a uniquely sustainable model of agriculture, wherein seed, juice and pomace products from wine production — which would normally be thrown away — are used to develop healthful extracts for nutritional purposes. Additionally, the company is dedicated to reducing its carbon footprint by utilizing solar power to generate much of the electricity needed to operate its facilities.

The Family of MegaNatural® Ingredients

In addition to its flagship ingredient MegaNatural*-BP, Polyphenolics offers an entire family of ingredients under the MegaNatural* brand name.



MegaNatural® Gold Grape Seed Extract

A high-quality grape seed extract with a guaranteed minimum of 90% standardized polyphenols and an Oxygen Radical Absorption Capacity (ORAC) value greater than 13,000/gram



MegaNatural® Whole Red Grape Juice Extract

An extract of whole red grape juice, providing a constituent profile similar to bilberry extract, with greater than 15% anthocyanins and 45% total polyphenols



MegaNatural®-GSKE Grape Pomace Extract

An extract made from grape skins and grape seeds that boasts a high total polyphenol content (80%) and an ORAC value greater than 11,000/gram



P.O. Box 99 • Madera, CA 93639 • 866.308.7678 www.Polyphenolics.com



The only grape seed extract clinically shown to support healthy hearts

Your heart loves with every beat. So love it back with MegaNatural*-BP from Polyphenolics.

MegaNatural*-BP is uniquely positioned as the subject of two double-blind, placebo-controlled human clinical trials conducted at UC Davis. Both studies found that MegaNatural*-BP supports blood pressure within the normal range* – with no adverse side effects.

Manufactured through a patented extraction process, MegaNatural*-BP is a group of structurally unique low-molecular weight compounds with dramatically increased absorption. Along with a healthy diet, regular exercise and achieving a desirable weight, MegaNatural*-BP can give your heart the clinically proven support it deserves.*

To learn more about using MegaNatural*-BP in your dietary supplements, functional foods or beverages, call 866.308.7678 or visit us at www.Polyphenolics.com.

- Proprietary water extraction process (U.S. Patent 6,544,581 B1)
- Clinically shown (U.S. Patent 7,651,707 B2)
- Unique composition (U.S. Patent 7,767,235 B2)
- Exclusive production process (U.S. Patent 8,075,929 B2)
- No chemical solvents
- 100% water-soluble
- FDA No-Objection GRAS





www.Polyphenolics.com











Company Name: Polyphenolics,

a division of Constellation Brands

Contact: James A. Kennedy, Ph.D.

Title: President

SuppySide West What's Hot Digital Issue Q&A:

1. What is the biggest advancement your company has achieved in the past year, and how does that benefit your customers?

We have established applications for our MegaNatural® BP and MegaNatural Gold grape seed extracts in sports nutrition supplements. This gives our customers two additional clinically studied ingredients to consider when creating their next sports nutrition formulation.

Because they are 100 percent water soluble, formulating with MegaNatural products is easy, as they are easily added to functional beverages without precipitating out of solution. They can also be included in capsules, shots, shakes, gummies, bars, powder mixes, etc., thereby providing convenient delivery systems to cater to onthe-go consumers.

2. What products/services are you showcasing at SupplySide West 2016 and, what problem or challenge are you seeking to help attendees solve?

Polyphenolics is introducing two of our patented ingredients for use in sports nutrition formulations. Exercise increases the production of free radicals, and radical production can exceed the antioxidant system. Left unchecked, these radicals can lead to cellular damage. One of the richest sources of natural antioxidants is grape seed extract. Not all antioxidants are the same or as effective. Patented, clinically shown MegaNatural grape seed extracts are rich in antioxidants and may reduce free radicals.*

- MegaNatural Gold A unique form of grape seed extract that has been clinically shown to be an effective antioxidant.*
- MegaNatural BP A unique form of grape seed extract that has been clinically shown to maintain healthy blood pressure levels within the normal range.*
- MegaNatural BP Is also an antioxidant that helps support endothelial function by maintaining healthy nitric oxide levels that are within the normal range. This helps support healthy vasodilation and blood flow.*

In addition, we have several MegaNatural products that contain grape anthocyanins. Epidemiological studies have drawn correlations between anthocyanin consumption and general health.

3. What trends are driving demand for your products/services?

People are seeking to live longer and healthier lives and know that getting active and staying active is crucial. Our MegaNatural products don't just cater to extreme athletes, but also to those who are actively striving to maintain their good health for a lifetime.

4. What is your brand story, and how can your story help your customers better market their products?

Since 1996, Polyphenolics has been realizing the health benefits of the grape. Polyphenolics is a science-driven organization focused on providing well-understood functional ingredients to our customers that consider the needs of consumers.

Polyphenolics cares about people. We are part of the fabric of California agriculture, and value the growers—who are the ultimate source of our MegaNatural products—and our employees, who carefully oversee MegaNatural product production. We understand the importance of health in the general population, and when the CARDIA and SPRINT studies were published, we alerted the media about how MegaNatural products may help.

Polyphenolics gets involved. The topic of adulteration has been a constant in recent headlines. Formulators are hard-pressed to find safe, traceable ingredients for use in dietary supplements. Polyphenolics' MegaNatural products are traceable, trusted and transparent. Polyphenolics can substantiate freshness, identity, domestic origin, and absence of chemical contaminants and genetic modification. Polyphenolics is a proud supporter of the American Botanical Council's (ABC) Botanical Adulterants Program.

Join us at Booth SS121 to celebrate our 20th anniversary!

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



Why Polyphenolics?

All Grape Seed Extracts are not created equal.

Founded in 1996, Polyphenolics is a science driven organization dedicated to researching and developing innovative products using grape seed derived polyphenols to deliver specific, documented health benefits.

As a division of Constellation Brands, one of the largest wine companies in the world, Polyphenolics has access to an abundant supply of California grown grapes, and controls the entire manufacturing process, from the initial selection of grapes to the final extraction of finished material that is MegaNatural® grape seed extracts.

Polyphenolics goes beyond federally mandated traceability requirements, documenting all aspects of growing, treating, and processing the grapes.

Polyphenolics believes in forming close partnerships with our customers and remains available to customer partners during all phases of product development for technical questions and support.

What Differentiates MegaNatural® Grape Seed Extract From Others?

- Four US Patents Issued
- •World-Wide Patents Pending
- Unique Composition
- Original Research
- Clinically Shown
- •Condition-Specific

- •100% California-Grown Grapes
- •100% Pure Grape Seed Extract
- •100% Water Soluble
- Hot Water Extracted
- •Relentlessly Tested
- •FDA No-Objection GRAS



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Why you should not use or consider less expensive/inferior quality grape seed extract in your product.

Polyphenolics' MegaNatural® grape seed extracts are adulterant free. MegaNatural® grape seed extracts contain 100% grapes. Nothing more.

Do you know where your grape seed extract comes from?

Polyphenolics does. MegaNatural® grape seed extracts come from 100%


California grown grapes traceable to the fields they were grown in.


Consistency is Extremely Important.

The consistency of every batch of MegaNatural® grape seed extracts are verified through specialized HPLC testing. Consistent activity guarantees consistent results in your finished product.

Polyphenolics invests in original research.

Polyphenolics has invested heavily in original research at both the laboratory and clinical levels. Original research is important because multiple factors, from the grape varietals chosen, to the time of harvest, and the extraction technique, can influence the constituent profile of the finished product. The only way to know if a particular extract has biological efficacy is to test the specific composition of the extract.





Polyphenolics

12667 Rd. 24 Madera, CA 93637

Phone: 559-661-5556; 866-308-7678, Fax: 559-661-3430

Email: gregory.arabatzis@cbrands.com

www.polyphenolics.com

Company Description

Polyphenolics was founded in 1996 as a nutritional ingredient business within Constellation Brands, one of the world's largest wine companies. As a division of Constellation Brands, Polyphenolics has an abundant supply of California-grown wine grapes. The Business Unit, Operations, and R&D are located in Madera, CA to facilitate shipments to Polyphenolics' customers in dietary supplements, and functional foods and beverages.

Polyphenolics is a science-driven organization dedicated to researching and developing innovative products using grape-seed-derived polyphenols to deliver specific and documented health benefits. Polyphenolics supports research projects at various well-known universities in order to determine the clinical value of grape extracts.

Polyphenolics markets its products under the brand name of MegaNatural®.

Key Personnel

James A. Kennedy, Ph.D., President Steve Kupina, M.S., Director of Quality and Technology Gregory Arabatzis, Director of Global Sales Mark Kelm, Ph.D., Director, Research and Development Jessica Ornelas, Customer Service Advocate Debra Cerda, Marketing Specialist

GRAS

Polyphenolics' MegaNatural® grape seed and pomace extracts are FDA No-Objection GRAS.

cGMP's

Polyphenolics maintains current quality management systems including ISO, Cal OSHA programs and third party certifications. Polyphenolics retains complete control over the entire manufacturing process. Polyphenolics goes beyond federally mandated traceability requirements, documenting all aspects of growing, treating, and handling the varietal grapes. Through painstaking supply chain documentation and laboratory testing, Polyphenolics can substantiate freshness, identity, domestic origin, and absence of chemical contaminants and genetic modification.

Technologies, Patents/Intellectual Property

In 2003, Polyphenolics developed a proprietary hot water extraction process, thereby eliminating the use of industrial solvents used by

other manufacturers. U.S. Patent 6,544,581 B1 provided improved product quality in antioxidant value and solubility standards in beverage systems.

In 2006, Polyphenolics introduced MegaNatural®-BP, a unique clinically-investigated grape seed extract with studies indicating that a 150-300 mg/day dose reduces blood pressure from 8-12mm Hg systolic and 5-9mm Hg diastolic after 6 weeks. US Patent 7,651,707 B2 Method for lowering blood pressure in pre-hypertensive individuals was issued.

In 2010, US Patent 7,767,235 B2 Composition of MegaNatural®-BP was granted, followed by US Patent 8,075,929 B2 Exclusive production process in 2011.

Various international patents have been granted with others pending.

Peer-reviewed research publications on mechanism and clinical studies have been published and can be requested from Polyphenolics or downloaded at www.polyphenolics.com.

Major Markets

Dietary Supplements, Functional Beverages, Functional Foods

Major Products

MegaNatural®-BP Grape Seed Extract - Antioxidant activity, Blood Pressure Maintenance, Sports Nutrition

MegaNatural® Cold Grape Seed Extract Antioxidant activity, Sports Nutrition

MegaNatural®-Gold Grape Seed Extract - Antioxidant activity, Sports Nutrition MegaNatural®-GSKE Grape Pomace Extract

MegaNatural®-Whole Red Grape Juice Extract

MegaNatural®- Red Wine Grape Extract

MegaNatural®- Red Wine Grape Extract with trans-Resveratrol

Polyphenolics is currently working on expanding the MegaNatural® line of condition-specific extracts.

Global Capabilities Global Sales:

Gregory Arabatzis

Tel: 908-654-9342, Mobile: 908-941-6535 Email: gregory.arabatzis@cbrands.com

www.polyphenolics.com



MegaNatural[®]

blood pressure maintenance

grape seed extract —

Please contact one of our valued distributors:

B&D Nutritional Ingredients, Tel: 800-546-6113, www.bdnutritional.com Beck Western Brokerage, Tel: 801-973-6333 PLT Health Solutions, Tel: 973-984-0900, www.plthealth.com

Eastern Europe:

IBCC, Rijeka, Croatia

Tel: 385 (0)51 212 213, www.ibcc.hr Email: ibcc@ibcc.hr, Skype: ibcc,nsvast.ibcc





KEY INTERVIEW: Polyphenolics Grape Pioneer Honored for Contributions to Nutrition Industry

26 Sep 2016 --- Retired president of Polyphenolics Dr. Anil Shrikhande has been awarded for his significant contributions to the nutraceutical industry and recognized for his outstanding grape innovations. General Nutrition Corporation (GNC), a leading global specialty health, wellness and performance retailer, recently honored the pioneer who caught up with *NutritionInsight* to look back on his career.

Dr. Shrikhande's breakthroughs are evidenced by the eight patents he holds on wine, grape juice concentrate and polyphenolics, and his 25 research publications. But he is best known for developing Polyphenolics' best-in-class, field-to-finish ingredients.

His concept of developing a premium grape seed extract product called Polyphenolics' MegaNatural-BP, which helps maintain normal blood pressure, is one of the most notable innovations of his career. It is used to support blood pressure maintenance, but also in several sports nutrition supplements and a male performance product as well.

MegaNatural-BP premium grape seed extract has shown in three clinical studies to support healthy blood pressure within the normal range with no adverse side effects. It has four US patents and numerous patents issued worldwide, and has been heavily researched both in the lab and in double-blind, placebo-controlled human clinical trials. With each trial, results confirmed its ability to manage prehypertension in at-risk subjects susceptible to cardiovascular disorders.

"The key highlights of my life have been as a leader of research and development at Constellation Brands, blessed with very high caliber executives who have consistently provided encouragement and an environment for innovation. It was a major attraction for me to understand the "French Paradox," which associated red wine consumption with cardiovascular health," he says.

"I was fascinated by polyphenols in grapes and particularly in seeds, which have an abundance of polyphenols which are major part of tannins besides color from skins. The key innovation here was how to separate effective polyphenols which were able to provide maintenance of normal blood pressure."

"This turned into a major innovation of MegaNatural-BP. The uniqueness of this seed extract has been to maintain blood pressure in prehypertensive people whose blood pressure ascends later and creates a major upset in heart health. GNC was the first to recognize and introduce in their heart formula. We kept investigating our MegaNatural-BP and found that in addition to increased nitric oxide in blood, it gives you an expansion of brachial arteries by 50 percent and therefore increases the blood flow, which not only provides effects on pressure but increases the stamina and endurance, which GNC smartly used in their sports nutrition products."

MegaNatural®-BP is made in California from a special seed blend from unfermented varietal wine and juice grapes. The seeds are extracted with hot water, the extract is purified, concentrated and spray dried, loading natural grape phenolics into the extract, and that extract powder is used as an ingredient for dietary supplements, functional foods, and healthy beverages.

Dr. Anil Shrikhande says that besides GNC there are several other multi-level companies who are using our MegaNatural-BP in all the categories mentioned in blood pressure maintenance, sports nutrition, and male performance products.

"There are at least 50 different products in the US market and slowly proliferating in the Asian markets. Under the category of plant extracts, it has definitely created an innovation. Perhaps a major beverage product may appear in Indian market once regulatory standards are defined there."

As a division of one of the largest wine companies in the world, Constellation Brands, Polyphenolics has access to an abundant supply of fresh wine grapes grown in California's Central Valley, and retains complete control over the entire manufacturing process; from the initial wine grape selection to the final extraction of finished material.

The company goes beyond federally mandated traceability requirements, documenting all aspects of growing, treating and handling of the varietal grapes.

Speaking about his recent retirement, Dr Shrikhande added: "It is a mixed feeling of leisure and an exhilarating successful career. I have a great family with whom we enjoy our life, but something is missing, which is science and innovation."

by Gaynor Selby

TYPE: Nutrition & Health News SOURCE: Nutrition Horizon SECTOR: General Company & Ingredient Information



URL: http://www.nutritioninsight.com:80/news/KEY-INTERVIEW-Polyphenolics-Grape-Pioneer-Honored-for-Contributions-to-Nutrition Industry.html



on Adulteration of Grape Seed Extract

By Steve Kupina^a and Stefan Gafner, PhD^{b*}

^aPolyphenolics, Madera, CA 93637 ^bAmerican Botanical Council Technical Director, ABC-AHP-NCNPR Botanical Adulterants Program

*Corresponding author: email

Keywords: Vitis vinifera, grape seed extract, adulterant, adulteration

Goal: The goal of this bulletin is to provide timely information and/or updates on issues of adulteration of grape seed extract (GSE †) to the international herbal products industry and extended natural products community in general. It is intended to present the available data on the occurrence of adulteration, the market situation, and consequences for the consumer and the industry.

1 General Information

1.1 Common name: Grape²

1.2 Other common names:

English: European grape, wine grape²

Chinese: Pu tao (葡萄)

French: Raisin

German: Traube, Weintraube

Italian: Uva

Spanish: Uva

1.3 Accepted Latin binomial: Vitis vinifera²

1.4 Synonyms: Cissus vinifera^{3,4}

1.5 Botanical family: Vitaceae

1.6 Plant part and extract production method: The seeds of grapes, obtained as a by-product from the juice or wine industry, are

used fresh, or more commonly dried, to produce a liquid extract using a solvent (e.g., water, or mixtures of water with ethanol or acetone), which is filtered, and may be subjected to further processing before it is typically spray-dried to obtain a dry extract containing high levels of naturally occurring grape seed phenolic compounds.



1.7 General use(s): GSE is known as a dietary ingredient and a number of commercial materials have received self-affirmed "generally recognized as safe" (GRAS) status as a food additive; it contains phenolic compounds with anti-oxidant properties for use in dietary supplements, nutritionally enhanced beverages, and functional foods. The most significant application for GSE is as an ingredient in dietary supplements (known as "food supplements" in some countries outside the United States).

2 Market

2.1 Importance in the trade: Due to the widespread history and acceptance of grapes and wine, GSE has received acceptance almost globally as an ingredient for human consumption. It is one of the more widely used botanical extracts, due to increasing scientific findings supporting health benefits. However, it remains a specialty item relative to global commodities. In the United States, GSE has ranked among the top 20 best-selling dietary supplements in the Food, Drug and Mass Market channel (excluding sales at Walmart) from 2008-2011, but not in 2012, with sales between US \$1.4 million and \$2.8 million.⁵⁻⁹ Sales in the Mainstream Multi-Outlet channel (the new name for the Food, Drug and Mass Market channel) were down to US \$1.1 million and \$0.9 million in 2013 and 2014, respectively, ranking GSE at 67th in 2014. Sales in the Natural channel (excluding sales at Whole Foods Market, a major natural products retailer in the US) were US \$1.5 and \$1.3 million in 2013 and 2014, respectively, with GSE ranking 59th in 2014 (T. Smith [American Botanical Council] e-mail to S. Gafner, September 3, 2015). (See Table 1)

2.2 Market dynamics: GSE was at the height of its popularity in the early 2000s, with global sales of US \$60 million in 2000.¹⁰ According to data from *Nutrition Business Journal*, sales in 2011 were approximately \$25 million.¹¹ The largest US producer of GSE is Polyphenolics, a division of Constellation Brands. Other key players in the market

(in the United States and internationally) include Indena, Naturex, and Nexira. A number of Chinese manufacturers, e.g., Skyherb and JF Natural, are also active in the US GSE market. The primary application for both Europe and United States is dietary/food supplements.

2.3 Supply sources: GSE is supplied by all major grape-producing countries and regions; the main producers are the United States, Canada, Europe, South America, South Africa, and Australia.

2.4 Raw material forms: GSE is almost exclusively supplied to dietary supplement manufacturers in the form of a dry extract. The extract contains phenolic compound concentrations ranging from ca. 50-90% of the extract and sometimes there is further characterization of the phenolic compounds. The main phenolic compounds are flavan-3-ol monomers and polymers and their gallic acid esters. The polymers are known as proanthocyanidins (PACs); the term oligomeric proanthocyanidin (OPC) is not well defined in the sense that the number of monomer units in an oligomer varies among authors, but most often it is limited to a maximum of 10 units. Grape seeds contain predominantly B-type PACs, which are flavan-3-ol polymers where the units are linked by a single bond (Figure 1). The extract has a characteristically bitter and astringent taste. Various companies manufacture their own GSE from purchased grape seeds. Intentional adulteration of GSE can occur at the extraction facility in order to artificially increase the concentration in total phenols and to increase the volume by using other PAC-rich substances (see Section 3 below). Contract manufacturers for the dietary supplement and food industries purchase bulk dry GSE extract and produce dietary supplements and/or beverages.

3 Adulteration

3.1 Known adulterants: Peanut (*Arachis hypogaea*, Fabaceae) skin extract, pine (*Pinus* spp., Pinaceae) bark,

Table 1: Sales data for grape seed extract dietary supplements in the United States from 2012-2014.

Channel	2011		2012		2013		2014	
	Rank	Sales [US\$]						
Natural ^a	n/a	1,553,155	52	1,481,374	55	1,518,647	59	1,327,495
Mainstream Multi- Outlet ^{b,c}	17	1,261,907	37	3,468,122	64	1,075,951	67	900,560

^aAccording to SPINS (SPINS does not track Whole Foods Market sales, which is a major natural products retailer in the US)

n/a: not available

^bAccording to SPINS/IRI (the Mainstream Multi-Outlet channel was formerly known as food, drug and mass market channel [FDM], exclusive of possible sales at Walmart, a major retailer in the US and beyond).

^cData for 2012 are according to Symphony/IRI and include Walmart, club stores (Sam's, Costco), military and dollar stores Source: T. Smith (American Botanical Council) e-mail communications, September 2, 2015 and September 3, 2015, and reference 16.

green tea (*Camellia sinensis*, Theaceae) extract, and PAC (proanthocyanidin)-rich (e.g., propelargonidin-containing) extracts from non-grape seed sources.^{1,13}

Propelargonidins, a particular type of PAC, are found in the following plants and plant materials: raspberry (Rubus idaeus subsp. idaeus or R. idaeus subsp. strigosus, Rosaceae), strawberry (Fragaria vesca or F. virginiana, Rosaceae), common beans (Phaseolus vulgaris, Fabaceae), almond (Prunus dulcis, Rosaceae), cinnamon (Cinnamomum verum, Lauraceae), buckwheat (Fagopyrum esculentum, Polygonaceae), mountain ash (Sorbus aucuparia, Rosaceae) berries, hops (Humulus lupulus, Cannabaceae), and green tea. 14-18 The fact that the species above contain propelargonidins does not mean that they have been used as adulterant of GSE.

3.2 Sources of information confirming adulteration:

There are at least four reports (one publication and three conference presentations) on GSE adulteration to date. Villani et al. analyzed the PACs in authentic GSEs, pine (Pinus spp., Pinaceae) bark, and peanut (Arachis hypogaea, Fabaceae) skin extracts, and in 21 commercial GSE products that were obtained from a variety of sources, including dietary supplement retailers, supermarkets, and online vendors.1 Overall, in six of the commercial samples, GSE was considered to be substituted with peanut skin extract, while an additional three samples showed evidence of admixture of an ingredient containing A-type PACs, inconsistent with the chemical profile of GSE. Based on the evaluation of the HPLC-LC/MS profile, the adulterant appears to be peanut skin extract. Cases of adulteration of commercial GSEs with peanut skin extracts were also presented by Sudberg et al. (2014)¹⁹ The results were similar to those of the Villani study.1 In addition, evidence for GSE adulteration was presented in lectures at two conferences. One lecture reported on the detection of PACs (e.g., propelargonidins) from non-grape seed sources in products labeled as GSE,¹³ while the other exposed a case of GSE spiking with gallic acid and epicatechin.²⁰

3.3 Accidental or intentional adulteration: The motivation behind purposeful adulteration in commercial products is financial gain and to increase the concentration in PACs (aka economically motivated adulteration). Peanut skin extract, which is a high-volume byproduct of the

Figure 1: Chemical structures of the predominant proanthocyanidins in GSE¹⁹

peanut industry, is less expensive and typically available at a much greater volume than GSE. In the United States, a typical peanut mill may produce up to 17 tons of peanut skins per week, and the material sold for as little as US \$0.02/kg in 2009.21 For example, in China, in 2015, the price for peanut skin extract is at US \$10-13/kg, pine bark extract at US \$20-22/kg, and GSE at US \$30-35/kg, although proprietary GSEs may be sold for up to US \$110/ kg (X. Jin, overseas sales manager at the dietary supplement manufacturer Skyherb, e-mail to S. Gafner, August 31, 2015). Thus, a bulk distributor of GSE or another manufacturer along the value chain can take advantage of the chemical similarity between GSE and peanut skin extract since the spectrophotometric assays typically used in industry are not specific enough to discriminate between grape seed PACs and PACs from other plant extracts. Due to reliance on non-specific proximate assays across the valuechain, adulteration can go undetected downstream in the commodity chain, such as those involved in distribution, packaging, wholesale, and retail sales.

3.4 Frequency of occurrence: There is limited data available on the extent of the adulteration from the available studies. Villani et al., analyzed 21 commercial GSE products that were obtained from dietary supplement retailers and supermarkets in the United States, and from online vendors, and concluded that nine products (43%) had evidence of adulteration with peanut skins.1 In the study by Sudberg et al., out of the five commercial GSEs analyzed by high-performance thin layer chromatography (HPTLC, Figure 2), four extracts (80%) showed bands that are characteristic of peanut skin extract.¹⁹ Using the same HPTLC approach, testing of 254 commercial GSE samples performed by Alkemist Labs, a contract analytical testing laboratory, between August 2014 and January 2016 found the presence of peanut skin extract in 67 (26%) samples (H. Johnson e-mail to S. Gafner, January 22, 2016). This suggests that GSE adulteration in the market is not uncommon.

3.5 Possible safety/therapeutic issues: The adulteration of GSE with peanut skin extracts has the potential to be damaging to consumers and the dietary supplement industry. Peanuts are a common allergen worldwide. Because of this, the US Food Allergen Labeling and Consumer Protec-

tion Act requires that all packaged food products sold in the United States that contain peanuts as an ingredient must list the word "peanut" on the label. Any peanut-containing or peanut extract-containing product that is not labeled accordingly creates a situation in which the consumer is not only deceived by buying a product that is not what it is purported to be, but due to the allergenic potential of peanuts in general (even if the allergenicity of processed peanut skins is lower than that for peanuts them-

selves),^{22,23} it also represents a potential safety risk. In the United States alone, the prevalence of people sensitive to peanuts or tree nuts was estimated to be 1.4% in 2008.²⁴ The self-determined prevalence of peanut allergies worldwide ranges from 0% in 18-month-old children from Iceland to 15% for a group of 15–17-year-olds from France.²⁵ Considering that peanut skin extract contains compounds similar to those in GSE, it is not known if efficacy is compromised.

3.6 Analytical methods to detect adulteration: There are only a few published methods for the detection of GSE adulteration. High-performance thin-layer chromatography (HPTLC) was successfully used to detect adulteration with peanut skin extract.^{1,19}

Villani et al., also used high-performance liquid chromatography with ultraviolet and mass spectrometric detection (HPLC-UV/MS) to obtain a chemical fingerprint of grape seed, peanut skin, and pine extracts.1 While both analytical approaches allowed the distinction between grape seed and peanut skin extracts, GSE and pine bark extract were found to have a remarkably similar qualitative profile of PAC monomers and dimers. However, GSEs were generally found to contain larger amounts of PACs than pine bark extracts. The chromatograms were submitted to cluster analysis, and while GSEs were easily distinguished from peanut skin extracts, the lower quality GSEs (i.e., those extracts containing lower concentrations of PACs) clustered with the pine bark extracts. HPLC and HPLC-MS analyses were used by Kelm et al. to differentiate authentic and commercially obtained GSEs. Atypical peaks observed in HPLC profiles were further evaluated by HPLC-MS/MS, allowing the investigators to characterize structures that are un-characteristic of the PACs found in grape seeds; therefore, this approach is effective for detecting adulteration.13

For other methods, such as testing for peanut allergens, or genetic methods to detect peanut DNA, there are no published data available that have verified their fitness for the purpose of detecting GSE adulteration with peanut skin extracts.

3.7 Perspectives: Adulteration of GSE has been exposed only recently, but seems to be widespread. According to GSE producers, many GSE products sold on the Chinese market are adulterated (X. Jin e-mail to S. Gafner, October 2, 2015). Demand for GSE is expected to increase with more health benefits supported by human clinical studies, increasing the demand in the extract, increasing the risk of adulteration, and potentially eroding consumer confidence, safety, and efficacy if adulterants are used.




Figure 2: HPTLC analysis of authentic GSE (lanes 1-2), mixtures of GSE and peanut skin extract (lanes 3-12), authentic peanut skin extract (lanes 13-14), and the standard compound catechin (lane 20). Concentrations for extracts were ca. 100 mg/mL, and 0.5 mg/mL for catechin. Image courtesy Alkemist Labs; Costa Mesa, CA.²⁶

4 Conclusions

Adulteration of GSE in commercial products appears to be a significant problem. Villani et al., determined that out of the 21 commercial products, six samples contained no detectable quantities of GSE, and were composed primarily of peanut skin extract as determined by comparison to authentic peanut skin. 1 Adulteration with peanut skin extract represents a significant safety concern due to the possibility of reactions to peanut allergens. In addition, peanut skins are much less expensive than GSE and sale of adulterated lower-cost material has a significant economic impact. Companies producing authentic GSE cannot compete with adulterated products and lose sales due to consumers making a price-oriented purchasing decision. More importantly, those manufacturers that unknowingly buy adulterated products and perform analytical tests that are easily fooled are being defrauded and at risk of regulatory actions due to their GSE products being noncompliant with current Good Manufacturing Practice (cGMP) requirements.

One of the primary reasons that adulteration goes undetected is due to manufacturers relying on unspecific spectrophotometric methods for quality control of their materials. While spectrophotometric assays can provide reliable results for the contents in total phenolics, HPTLC and HPLC-UV/MS are more appropriate for the purpose of GSE identification.

*The acronym GSE should not be confused with acronym GFSE, referring to Grapefruit Seed Extract, which is an entirely different material. In some original publications on GFSE adulteration, the authors use "GSE" to refer to grapefruit seed extract.

5 References

 Villani TS, Reichert W, Ferruzzi MG, Pasinetti GM, Simon JE, Wu Q. Chemical investigation of commercial grape seed derived products to assess quality and detect adulteration. *Food Chem.*

- 2015;170:271-280.
- McGuffin M, Kartesz JT, Leung AY, Tucker AO. American Herbal Products Association's Herbs of Commerce. 2nd ed. Silver Spring, MD: American Herbal Products Association; 2000.
- The Plant List. Version 1.1 (September 2013). Available at: http://www.plantlist.org. Accessed August 18, 2015.
- Tropicos.org. Missouri Botanical Garden. Available at: http:// www.tropicos.org. Accessed August 18, 2015.
- Cavaliere C, Rea P, Blumenthal M. Herbal supplement sales in United States show growth in all channels. *HerbalGram*. 2010;78:60-63. Available at: http://cms.herbalgram.org/herbalgram/issue78/article3263.html. Accessed October 1, 2015.
- Cavaliere C, Rea P, Lynch ME, Blumenthal M. Herbal supplement sales experience slight increase in 2008. HerbalGram. 2009;82:58-61. Available at: http://cms.herbalgram.org/herbalgram/issue82/article3400.html. Accessed October 1, 2015.
- Cavaliere C, Rea P, Lynch ME, Blumenthal M. Herbal supplement sales rise in all channels in 2009. HerbalGram. 2010;86:62-65. Available at: http://cms.herbalgram.org/herbalgram/issue86/article3530.html. Accessed October 1, 2015.
- 8. Blumenthal M, Lindstrom A, Lynch ME, Rea P. Herbs sales continue growth up 3.3% in 2010. *HerbalGram.* 2011;90:64-67. Available at: http://cms.herbalgram.org/herbalgram/issue90/MarketReport.html. Accessed October 1, 2015.
- Blumenthal M, Lindstrom A, Ooyen C, Lynch ME. Herb supplement sales increase 4.5% in 2011. HerbalGram. 2012;95:60-64. Available at: http://cms.herbalgram.org/herbalgram/issue95/hg95-mktrpt.html. Accessed October 1, 2015.
- Dry Creek Nutrition, Inc. Acquires ActiVin(TM) Grape Seed Extract; Grape Seed Extract Positioned as Next Powerful Antioxidant to Grow Nutraceutical Category [press release]. Modano, CA: PRNewswire; April 10, 2001. Available at: http://www. prnewswire.com/news-releases/dry-creek-nutrition-inc-acquiresactivintm-grape-seed-extract-grape-seed-extract-positionedas-next-powerful-antioxidant-to-grow-nutraceutical-category-82362632.html. Accessed April 21, 2016.
- Polyphenols Forecast 2013-2014. Engredea/Nutrition Business Journal monograph. Boulder, CO: New Hope Media. 2013:13.
- Sun C, McIntyre K, Saleem A, Haddad PS, Arnason JT. The relationship between antiglycation activity and procyanidin and phenolic content in commercial grape seed products. *Can J Physiol Pharmacol*. 2012;90(2):167-174.
- Kélm MA, Kupina S, Shrikhande A. Grape seed extract authentication. Oral presentation
- AGFD 22, 250th American Chemical Society National Meeting & Exposition, Boston, MA, August, 2015. 14. Gu L, Kelm MA, Hammerstone JF, et al. Concentra-
- stone JF, et al. Concentrations of proanthocyanidins in common foods and estimations of normal consumption. *J Nutr.* 2004;134(3):613-617.
- Olschläger C, Regos I, Zeller FJ, Treutter D. Identification of galloylated propelargonidins and procyanidins in buckwheat grain and quantification of rutin

- and flavanols from homostylous hybrids originating from *F. esculentum* x *F. homotropicum. Phytochemistry.* 2008;69(6):1389-1397.
- Hellström JK, Törrönen AR, Mattila PH. Proanthocyanidins in common food products of plant origin. *J Agric Food Chem.* 2009;57(17):7899–7906.
- Li HJ, Deinzer ML. Structural identification and distribution of proanthocyanidins in 13 different hops. J Agric Food Chem. 2006;54(11):4048-4056.
- 18. Kalili KM, de Villiers A. Off-line comprehensive two-dimensional hydrophilic interaction x reversed phase liquid chromatographic analysis of green tea phenolics. *J Sep Sci.* 2010;33(6-7):853-63.
- 19. Sudberg E, Sudberg S, Nguyen J. Validation of a high performance thin-layer chromatographic fingerprint method for the simultaneous identification of grape seed and peanut skin and the adulteration of commercial grape seed extract with peanut skin. AHPA (American Herbal Products Association) Botanical Congress, Las Vegas, NV. October 10, 2014.
- 27. Pais P. Botanical extract adulteration in the US market. Presented at: SupplySide West; November 2012; Las Vegas, NV.
- Reed KA. Identification of phenolic compounds from peanut skin using HPLC-MSⁿ. PhD thesis. Blacksburg, VA: Virginia Polytechnic Institute and State University; 2009. Available at: http://scholar.lib.vt.edu/theses/available/etd-12182009-214904/unrestricted/Reed_KA_D_2009.pdf. Accessed January 26, 2016.
 Constanza KE, White BL, Davis JP, Sanders TH, Dean LL.
- Constanza KE, White BL, Davis JP, Sanders TH, Dean LL. Value-added processing of peanut skins: antioxidant capacity, total phenolics, and procyanidin content of spray-dried extracts. *J Agric Food Chem.* 2012;60(43):10776-10783.
- 23. Nordlee JA, Taylor SL, Jones RT, Yunginger JW. Allergenicity of various peanut products as determined by RAST inhibition. *J Allergy Clin Immunol.* 1981;68(5):376-382.
- Sicherer SH, Muñoz-Furlong A, Godbold JH, Sampson HA. US prevalence of self-reported peanut, tree nut, and sesame allergy: 11-year follow-up. *J Allerg Clin Immunol.* 2010;125(6):1322-1326.
- 25. University of Portsmouth; Literature searches and reviews related to the prevalence of food allergy in Europe. EFSA supporting publication 2013:EN-506. Available at: http://www.efsa.europa.eu/sites/default/files/scientific_output/files/main_documents/506e.pdf. Accessed April 21, 2016.

Official Newsletter of the ABC-AHP-NCNPR Botanical Adulterants Program Wide Range of Useful News on Botanical Adulteration: Botanical Adulterants Program News New Science Publications New Analytical Methods Regulatory Actions Upcoming Conferences & Webinars A Free Quarterly Publication for all ABC Members, Botanical Adulterants Supporters & Endorsers, and Registered Users of the ABC website. More info at: cms.herbalgram.org/BAP/

REVISION SUMMARY

Version # , Author,	Date Revised	Section Revised	List of Changes
Version 1, S. Kupina, S. Gafner new	n/a	n/a	none

Polyphenolics, a division of Constellation Wines U.S.





he primary challenge facing the U.S. grape seed extract market originates from the influx of low-cost, sub-standard Asian grape seed extracts. A majority of these are inconsistent in quality without any proven biological effect. The other key challenge lies in their inherently bitter taste, which affects the sensory attributes of the final product thus leaving a bad aftertaste.

In order to succeed in this market, manufacturers will have to ensure a consistent supply of high-quality ingredients with proven biological efficacy and scientific validation. Companies also need to look at developing an extract, which has no aftertaste, thus giving them a critical advantage in penetrating the food and beverages market.

Criterion I: Unique Features

Polyphenolics' sharp focus on research and development as well as technological process innovation, through tie-ups with major research organizations and universities, has resulted in a strikingly differentiated grape seed extract, MegaNatural®-BP. MegaNatural-BP is a patented grape seed extract with a clinically proven blood pressure lowering quality unlike any other competing ingredient. The company has associated itself with the department of Cardiology at UC Davis, to study the role of grape seed extracts in lowering blood pressure in patients who have metabolic syndrome and pre-hypertension. The outcome of the study (published in the July 16th issue of Metabolism Clinical and Experimental) indicated that when MegaNatural-BP is taken in conjunction with lifestyle modification, it could effectively lower blood pressure in patients with metabolic syndrome. The UC Davis study was conducted under the leadership of Dr.T. C. Kappagoda, Professor of Cardiovascular Medicine at UC Davis Health System, and its protocol has been successfully patented. The company obtains 90 to 95% polyphenols in grape seed through its unique, patented, hot water-based extraction process as opposed to using chemicals and solvents such as Acetone. This enables selective extraction of high quality bioactive phenols. In addition, this unique process also ensures that, unlike most competing products, MegaNatural-BP has no bitter aftertaste. The company's patents for the manufacturing process and the composition of matter (grape seed extract) discourages easy duplication and it secures the company's leadership position in the market

Criterion 2: Quality Excellence

The consistent, high-quality of the company's grape seed extracts differentiates it from a majority of other market participants, who sell generic grape seed extracts. Polyphenolics' parent company, the Constellation Brands is the largest wine maker in the world. Owing to the integrated structure, Polyphenolics has easy access to high quality grapes and it retains complete control of the entire production cycle, from initial selection of wine grapes to the final extraction of grape seed extracts. To illustrate the high quality of the MegaNatural line of grape products (MegaNatural-BP Grape Seed Extract, MegaNatural GSKE Grape Pomace Extract, MegaNatural GSKE-40 Grape Extract, MegaNatural Gold Grape Seed Extract, and MegaNatural Rubired Grape Juice Extract) the NSF International has authorized Polyphenolics to carry the NSF Certification marks on its products. This certification also signifies the excellence of its patented production process. In addition, the MegaNatural-BP has also achieved the U.S. Food and Drug Administration's No-Objection Generally Recognized as Safe (GRAS) status, thus validating that it is safe to be added to new or existing products.

Polyphenolics, a division of Constellation Wines U.S.





Criterion 3: Scientific Marketing and Forward-looking Strategies

Polyphenolics has penetrated the U.S. grape seed extract market through co-branding with companies such as GNC, Inc., The Vitamin Shoppe, and host of other small to mid size companies. In addition to this, it has also tied up with various multi-level marketing companies. Many of GNC's heart-health related products sport the MegaNatural-BP logo on the back. Since the initial days of research at UC Davis, Polyphenolics had started participating in promotional activities across trade fairs, symposiums, television, radio, print media, and the Web. In addition, the company does not allow usage of lower dosage (in dietary supplements) than what has been prescribed by the UC Davis study, for its MegaNatural-BP products. This uncompromising attitude has enabled the company to position itself as a reliable producer and supplier of premium quality branded grape seed extracts.

Going forward, the company plans to focus on further promotion of its products. Although initially, dietary supplements were the primary focus area for the company where it is already a well-known brand, the company is now focused on functional foods and beverages. It is presently working with two major beverage companies in this sector and expects the commercial launch of the ensuing products by 2012. The company is aiming to leverage the GRAS status further for increased penetration into the functional food and beverage market.

On the research & development front, Polyphenolics continues to explore applications related to blood pressure. It has collaborated with the Illinois Institute of Technology and is carrying out advanced research under the leadership of Dr. Britt Burton-Freeman, the Director of Nutrition at the National Center for Food Safety and Technology at IIT. The study aims to evaluate the difference in effect on blood pressure between MegaNatural-BP used in capsule form (used as a control) and in beverage form. In addition, through this trial, the company intends to detect the dosage level, which is required to control blood pressure through MegaNatural-BP in a beverage.

With such smart marketing strategies and persistent research endeavors, Polyphenolics has been able to differentiate itself from its competitors in the U.S. grape seed extract market and is poised for further growth by successfully executing these forward-looking strategies.

Criterion 4: Identifying and Targeting Consumer Needs

Metabolic syndrome is a combination of medical disorders that spur the risk of developing cardiovascular disease and diabetes. Up to 25% of the U.S. population is estimated be affected by this medical condition with Hypertension being one of the biggest issues. Polyphenolics recognized these conditions, which is why they took a scientific, research-backed approach with the MegaNatural-BP grape seed extract. This branded ingredient offers consumers an effective, beneficial, and most importantly, a natural solution for high blood pressure. A key differentiator is that MegaNatural-BP grape seed extract has no side effects, where as traditional hypertension drugs do. Under the able guidance of Dr. T. C. Kappagoda, Polyphenolics is persistently advancing its scientific research with MegaNatural-BP in order to fight other health-related challenges, such as Type II diabetes. Polyphenolics is also exploring a new grape seed extract, MegaNatural-AZ benefit potential when it comes to brain diseases. The company, in conjunction with Dr. Giulio Maria Pasinetti, of the Research Center at Mount Sinai School of Medicine, is looking at a new product line, MegaNatural®-AZ, for controlling the progression of Alzheimer's and Dementia.

Polyphenolics, a division of Constellation Wines U.S.





Criterion 5: Positive Brand Perception

The brand perception for Polyphenolics' products is extremely positive as their efficacy is backed by scientific studies. The company has been able to implement a "communication around science" strategy with great effect. Websites, press releases, and medical writers have been just a few significant vehicles employed by Polyphenolics to maximize company visibility in the market place. The company has been successfully reaching out to consumers through radio, publications, video, news releases, and consumer magazines. Besides its research-backed products, Polyphenolics has also been praised for its analytical approach. Its methodology for calculating total phenols has been adopted by the National Nutritional Foods Association. In addition, the company has an honorable position at the Association of Analytical Communities, for developing a newly validated analytical testing method for grape seed extracts. These attributes have added additional credibility to Polyphenolics' products, which have resulted in increased brand loyalty. As a result, over the past 18 months, the company has witnessed approximately 50% overall growth, thus transforming itself into the market leader in the U.S. grape seed extract market.





Mechanism of the endothelium-dependent relaxation evoked by a grape seed extract

Indika EDIRISINGHE*, Britt BURTON-FREEMAN† and C. Tissa KAPPAGODA*

*Department of Internal Medicine, University of California Davis, Davis, CA 95616, U.S.A., and †Department of Nutrition, University of California Davis, Davis, CA 95616, U.S.A.

ABSTRACT

GSEs (grape seed extracts) which contain polyphenolic compounds cause an endotheliumdependent relaxation of blood vessels. The aim of the present study was to examine the mechanisms involved in this response. A well-characterized GSE was applied to rabbit aortic rings suspended in organ baths containing Krebs-Henseleit buffer maintained at 37°C. In aortic rings pre-contacted with noradrenaline (norepinephrine), the extract produced a dose-dependent relaxation. The maximum relaxations elicited by the extract (71.9 \pm 1.0%) were similar to those elicited by acetylcholine (64.2 \pm 1.5%) (n = 12 for each). As expected, the relaxations were abolished by removal of the endothelium and by prior incubation with L-NAME (N^G -nitro-Larginine methyl ester), confirming the essential role of eNOS (endothelial NO synthase) in the response. The responses to the GSE were also abolished by incubation with wortmannin and LY294002, which are inhibitors of PI3K (phosphoinositide 3-kinase). These compounds had no effect on the responses to acetylcholine. Using immunoblotting, we also demonstrated that the GSE induced the phosphorylation of both Akt and eNOS in HUVECs (human umbilical vein endothelial cells). Finally, the extract was modified by methylation of the hydroxy groups in the polyphenolic groups and was applied to the aortic rings. The modified extract failed to cause a relaxation. Taken together, these findings suggest that the endothelium-dependent relaxation induced by the GSE was mediated by activation of the PI3K/Akt signalling pathway through a redox-sensitive mechanism, resulting in phosphorylation of eNOS.

INTRODUCTION

There is evidence that a diet rich in vegetables and fruit has a beneficial effect on blood pressure. This effect has been attributed to phenolic compounds present in the plants. These compounds have also been shown to influence endothelial function in a variety of experimental situations [1–3]. In humans, extracts of fruits and vegetables have been shown to enhance flow-mediated vasodilation in the brachial artery [4].

Of all of the phenolic products, those derived from grapes appear to have received the most attention, possibly because of their involvement with the French paradox [5,6]. Grapes and grape products derived from the skin, seeds, pulp and stem are good sources of polyphenolic compounds; however, it has been found that >70 % of polyphenolic compound are concentrated in the seeds [7]. GSEs (grape seed extracts) cause an EDR (endothelium-dependent relaxation) of aortic rings in vitro (for example, [2,8,9]). Similarly, these extracts

Key words: bioactive phenolic, endothelium-dependent relaxation, endothelial nitric oxide synthase (eNOS), grape seed extract, phosphoinositide 3-kinase (PI3K), reactive oxygen species (ROS).

Abbreviations: EDR, endothelium-dependent relaxation; GSE, grape seed extract; HUVEC, human umbilical vein endothelial cell; KH buffer, Krebs–Henseleit buffer; L-NAME, NG-nitro-L-arginine methyl ester; NOS, NO synthase; eNOS, endothelial NOS; PI3K, phosphoinositide 3-kinase; ROS, reactive oxygen species; SNP, sodium nitroprusside.

Correspondence: Dr C. Tissa Kappagoda (email ctkappagoda@ucdavis.edu).

have also been shown to activate eNOS [endothelial NOS (NO synthase)] [2,10] and up-regulate eNOS in cultured endothelial cells [11].

The mechanism mediating this response to GSEs has not been established with certainty. Grape juice [12] and extracts of red wine [13] have been shown to cause EDR, which was abolished by blocking the PI3K (phosphoinositide 3-kinase)/Akt pathway. In the present study, we have examined the effect of a well-characterized GSE, which has been shown previously to cause EDR in guinea pig aortic rings [14] and reduce blood pressure in humans [15], on the PI3K/Akt signalling pathway and phosphorylation of eNOS. The studies were undertaken on both rabbit aortic rings and HUVECs (human umbilical vein endothelial cells).

MATERIALS AND METHODS

Study design and procedures

This study was approved by Animal Use and Care Administrative Advisory Committee, University of California, Davis, CA, U.S.A. Male New Zealand rabbits, weighing 3–3.5 kg, were sedated by intramuscular injection of acepromazine. After 5 min, a lethal dose of sodium pentobarbitone (50 mg/kg of body weight; Abbott Laboratory) was administrated through the lateral ear vein. A thoracotomy was performed and the descending thoracic aorta was excised carefully. The aorta was flushed twice with fresh ice-cold KH (Krebs-Henseleit) buffer (118 mmol/l NaCl, 5.4 mmol/l KCl, 1.2 mmol/l, MgCl₂ 2.5 mmol/l CaCl₂, 22 mmol/l NaHCO₃, 1.2 mmol/l NaH₂PO₄ and 10.1 mmol/l glucose; using Sigma analytical grade reagents) and placed in a dissecting tray filled with the same buffer. All surrounding connective tissues and fat were removed carefully.

The GSE used in the present study is a water extract prepared by Polyphenolics Inc (Meganatural-BP®; patent pending). The extract is made up of polymers of catechin and has an average degree of polymerization of 2.3. The extract was dissolved in KH buffer, and the concentrations of the solution were based on a nominal M_r of 1000. The phenol content of the GSE solution (1 mg/ml) was measured using the Folin–Ciocalteu assay and was found to be 39.2 ± 0.65 mmol/l gallic acid units (n=5). The characterization of the extract is given in Supplementary material available at http://www.clinsci.org/cs/114/cs1140331add.htm.

Measurement of EDR

EDR was assessed as described previously [16]. Briefly, the aorta was segmented into rings (5 mm in length) which were mounted between two tungsten wire triangles. One triangle was attached to a strain-gauge transducer and the other to the bottom of an organ bath (20 ml) containing KH buffer maintained at 37 °C and

oxygenated with a mixture of 95 % $\rm O_2/5$ % $\rm CO_2$. A preload of 8 g was applied to the rings, and the tissues were allowed to equilibrate for 60 min. The transducer was connected to a pen recorder (Gould-2400S recorder), and the changes in tensions were monitored using a Windaq computer program (2003 version; Dataq Instruments).

After equilibration for 60 min at a pre-load of 8 g, the aortic rings were pre-contracted with 10 μ mol/l noradrenaline (norepinephrine; Sigma). Acetylcholine (Sigma) was added in an incremental manner to achieve bath concentrations from 0.1–10 μ mol/l to obtain dose–response curves for EDR. The relaxations were expressed as a percentage of the contraction induced by noradrenaline.

GSE-induced EDR

After demonstrating EDR evoked by acetylcholine, the rings were treated with increasing concentrations of the GSE following pre-contraction with noradrenaline. In additional experiments, the effect of removing the endothelium on relaxation evoked by acetylcholine and the GSE were examined to establish the endothelium-dependent nature of the relaxation. In these experiments, after demonstrating the absence of relaxation, the rings were treated with SNP (sodium nitroprusside; Sigma) to establish the ability of the aortic smooth muscle to relax. As a further control, the effect of incubation with L-NAME (N^G -nitro-L-arginine methyl ester; bath concentration, 1 mmol/l; Sigma), a competitive inhibitor of NOS, was examined to demonstrate the involvement of NOS in the relaxation of the rings.

Effect of blocking the PI3K/Akt pathway on EDR induced by the GSE

Previous studies have shown that the EDR evoked by polyphenolic compounds derived from grapes was abolished by inhibitors of the PI3K/Akt pathway [13,17], In the present study, the effect of the GSE was examined after incubating the aortic rings with wortmannin (30 nmol/l; Sigma) and LY294002 (30 μ mol/l; Sigma) in KH buffer. Both wortmannin and LY294002 are potent and specific PI3K inhibitors. In testing the effect of each inhibitor, three aortic rings were tested simultaneously according to the sequence shown in Table 1. This protocol was based on a previous finding that prior exposure to the GSE and other phenolic compounds (e.g. cocoa) attenuated the effect of subsequent exposure [2,10]. Thus it is not possible to expose a ring to the same extract twice, before and after exposure to the inhibitor, and obtain meaningful data.

Step 1 was done to establish responsiveness of the rings to a standard concentration of acetylcholine, step 2 provided a baseline dose–response curve to acetylcholine, and steps 3 and 4 established the effect of the inhibitors.

Ring 1 was used to examine the effect of the extract after incubation with the inhibitor, and ring 2 was used to demonstrate the response to the extract without prior

Table I Protocol for testing the effect of the PI3K inhibitors on EDR induced by the GSE

Step	Ring I	Ring 2	Ring 3
1	Acetylcholine (10 μ mol/l)	Acetylcholine (10 μ mol/l)	Acetylcholine (10 μ mol/l)
2	Dose—response curve with acetylcholine	Dose-response curve with acetylcholine	Dose-response curve with acetylcholine
3	Incubate with PI3K inhibitor for 30 min	No incubation, KH buffer alone	Incubate with PI3K inhibitor for 30 min
4	Dose—response curve with the GSE	Dose—response curve with the GSE	Dose—response curve with acetylcholine

exposure to the inhibitor. It also showed that prior exposure to acetylcholine did not influence the response to the extract (i.e. the maximal responses were similar). Ring 3 was used to demonstrate that the response to acetylcholine was unaltered with time (time control) and that exposure to the blocker did not affect the ability of eNOS to be activated by acetylcholine. This protocol avoided the application of the extract twice in succession to a ring.

Effect of wortmannin and LY294002 on phosphorylation of eNOS and Akt

HUVECs were grown in EGM-2 medium(Cambrex) with 10% (v/v) fetal bovine serum. Cells were grown to confluence (approx. 90%) and starved for 6 h in serum-free medium before the cells were treated with the GSE (10 μ mol/l). Some wells were treated with LY294002 (30 μ mol/l) or wortmannin (30 nmol/l) for 30 min before exposure to the GSE. Cells were incubated at 37°C in a humidified atmosphere containing 5% CO2 for 10 min. The reaction was stopped by adding ice-cold PBS, washed twice with PBS and cell lysates were prepared in RIPA buffer [20 mmol/l Tris/HCl (pH 7.5), 150 mmol/l NaCl, 1 mmol/l EDTA, 1 mmol/l EGTA, 1% Nonidet P40, 1% sodium deoxycholate, 2.5 mmol/l sodium pyrophosphate, 1 mmol/l β -glycerophosphate, 1 mmol/l sodium orthovanadate and 1 μ g/ml leupeptin]. Total proteins (30 μ g) were separated by SDS/PAGE [7.5 % (w/v) polyacrylamide gels] and were transferred electrophoretically on to nitrocellulose membranes (Amersham Biosciences). Membranes were blocked with blocking buffer containing 5% (w/v) non-fat milk in TBS-T (Tris-buffered saline containing 0.1% Tween 20) for 1 h. Phosphorylated Akt (at Ser⁴⁷³), phosphorylated eNOS (at Ser¹¹⁷⁷), Akt and eNOS were detected after the membranes were incubated with the respective primary antibodies {rabbit anti-[phosphoeNOS (Ser¹¹⁷⁷)], anti-eNOS, anti-[phospho-Akt (Ser⁴⁷³)] and anti-Akt; 1:1000 dilution; Cell Signaling Technology} overnight at 4°C. Membranes were washed three times (10 min each) and incubated with the secondary antibody [HRP (horseradish peroxidase)-labelled anti-(rabbit IgG); 1:20 000 dilution; Cell Signaling Technology] at room temperature (25 °C) for 60 min. Membranes were washed three times again (10 min each) and the specific protein bands were visualized using ECL® (Amersham Biosciences). All four proteins were detected on the same blot, and the membranes were washed with stripping buffer (Pierce Biotechnology) for 30 min in 37 °C before being incubated with the next primary antibody.

Effect of methylated GSE on EDR

An additional series of experiments were undertaken to study the effect of methylated GSE on rings of rabbit aorta. In each experiment, two rings were prepared as described above. Ring 1 was exposed to acetylcholine (10 μ mol/l) and the GSE (100 μ mol/l), and ring 2 was treated sequentially with acetylcholine (10 μ mol/l), methylated GSE and the GSE (both 100 μ mol/l). The methylation procedure is outlined in the Supplementary material available at http://www.clinsci.org/cs/114/cs1140331add.htm.

Statistical analysis

Group data are expressed as means \pm S.E.M. Comparisons between groups were compared using a paired Student's t test or ANOVA depending on the number of groups being examined. Dose–response curves were compared using repeated measures ANOVA. Data were analysed using Sigma Stat (version 3, 2003) statistical software. Statistical significance among treatments was determined as P < 0.05.

RESULTS

Effect of the GSE on EDR

The GSE produced a dose-dependent relaxation of the aortic rings. The maximum relaxations observed were similar to those produced by acetylcholine (Figure 1). Removal of the endothelium abolished the responses evoked by acetylcholine and the GSE, confirming the obligatory role of the endothelium. Incubation with L-NAME, a competitive eNOS inhibitor, also abolished the relaxation responses to acetylcholine and the GSE. However, thereafter the rings remained responsive to SNP, which is a non-endothelium-dependent relaxant of smooth muscle (Figure 2). The maximum relaxations observed in the rings under the different conditions are summarized in Table 2. These results confirmed that the GSE causes EDR in rings of rabbit aorta.




Figure 1 Dose-dependent relaxation of aortic rings induced by acetylcholine and the GSE

Dose—response curves relating relaxation (as a percentage of contraction to 10 μ mol/1 noradrenaline) and concentration of the agonists in the organ bath. Dose—dependent relaxations were evoked by acetylcholine (\spadesuit) and the GSE (\blacksquare). Values are means \pm S.E.M. (n=12).

Effect of inhibitors of the PI3K/Akt pathway

Incubation of aortic rings which had been previously shown to be responsive to acetylcholine with wortmannin or LY294002 significantly attenuated the relaxation induced by the GSE. The responses evoked by acetylcholine were unaffected. The sequence of treatments described in the Materials and methods section were used in these experiments. An example of an experiment with each blocker is shown in Figure 3, showing that the GSE-induced dose-dependent EDR was significantly attenuated in rings exposed previously to a PI3K inhibitor. The responses induced by the highest concentration of the GSE in these experiments are shown in Figure 4. It was also confirmed that acetylcholine-induced EDR was unaffected by PI3K inhibitors. Therefore it is apparent that prior exposure to a PI3K inhibitor attenuated EDR evoked by the GSE, suggesting that EDR induced by

 $\overline{\text{Table 2}}$ Summary of the maximum relaxations observed in the aortic rings

Values are means \pm S.E.M. of maximum percentage relaxation evoked by different treatments (n=6). Values with different superscripts are significantly different, as determined by ANOVA (P<0.05).

Agent	Maximum relaxation (%)
Acetylcholine (10 μ mol/l)	64.2 ± 1.5^{a}
GSE (100 μ mol/l)	71.9 ± 1.0^{b}
L-NAME (I mmol/l) $+$ GSE (100 μ mol/l)	$6.3\pm1.0^{\circ}$
SNP (10 μ mol/l)	81.4 ± 1.6^{d}

the GSE is mediated by the activation of the PI3K/Akt pathway.

GSE induces the phosphorylation of Akt and eNOS in HUVECs

EDR is caused by NO produced by the phosphorylation of eNOS. Therefore we investigated whether the GSE induced the phosphorylation of Akt (on Ser⁴⁷³) and eNOS (on Ser¹¹⁷⁷) *in vitro* in HUVECs. The GSE-induced phosphorylation of Akt and eNOS was shown by immunoblotting. Prior exposure to the PI3K inhibitor LY294002 abolished the phosphorylation of Akt and eNOS in HUVECs (Figure 5). These results suggested that the GSE phosphorylates eNOS through a PI3K/Akt pathway.

Effect of methylation of the GSE on EDR

It was found that methylated GSE failed to produce an ERD in the aortic rings. Subsequent exposure to the GSE (100 μ mol/l) produced a significant relaxation, which was similar to that evoked by acetylcholine (10 μ mol/l) (Figure 6).




Figure 2 Effect of removal of endothelium on the maximum relaxation

(A) Responses induced by acetylcholine (Ac). (B) Responses induced by the GSE. Removal of endothelium abolished the responses elicited by acetylcholine and the GSE. The rings remained responsive to SNP (Nitro), which is a non-endothelium-dependent relaxant of smooth muscle. Values are means \pm S.E.M. (n = 4). **P < 0.01 compared with the treatment with the endothelium present and SNP with the endothelium removed. Endo.(+), endothelium present; Endo.(-), endothelium removed.




Figure 3 Dose-response curves evoked by the GSE after incubation with (A) wortmannin and (B) LY294002

Treatment with the agonists and inhibitors are described in the Materials and methods section and Table I. (A) Initial response to acetylcholine [curve (ii)], response to the GSE after incubation with wortmannin (30 nmol/l) for 30 min [curve (ii)], initial response to acetylcholine [curve (iii)], and response to GSE without prior incubation with wortmannin [curve (iv)]. Dose—response curves (i) and (ii) were generated from ring I, and curves (iii) and (iv) were generated from ring 2. (B) Initial response to acetylcholine [curve (ii)], response to the GSE after incubation with LY294002 (30 μ mol/l) for 30 min [curve (ii)], initial response to acetylcholine [curve (iii)], and response to the GSE without incubation with LY294002 [curve (iv)]. Dose—response curves (i) and (ii) were generated from ring I, and curves (iii) and (iv) were generated from ring 2. Curve (ii) is different from other three in both (A) and (B). Values are means \pm S.E.M. (n=4) in both A and B. Results from ring 3 are not shown.




Figure 4 Effect of PI3K inhibitors on the maximum relaxation produced by GSE

(A) All three rings responded to acetylcholine initially. Ring 1, which was incubated with wortmannin (30 nmol/l for 30 min) and tested with the GSE, had a significantly attenuated relaxation (**P < 0.01 compared with GSE alone). Ring 2, which was not incubated with wortmannin, had a similar relaxation with the GSE. Ring 3, which was also incubated with wortmannin, had no significant change in the responses to acetylcholine. (B) Similar findings were observed with LY294002 (30 μ mol/l) for the effect induced by the GSE. The relaxation evoked by the GSE was significantly decreased (**P < 0.01 compared with GSE alone). All values are means \pm S.E.M. (n = 4).

DISCUSSION

The present study has shown that the GSE used produced EDR in the rabbit aorta, which was significantly attenuated by prior incubation with the PI3K inhibitors wortmannin and LY294002. In these respects, the response is similar to that evoked by other derivatives of grapes which have been investigated extensively [12,13,18]. The novel aspects of the present study are the following: (i) the concurrent phosphorylation of both Akt and eNOS; (ii) modifying the antioxidant activity of the extract by methylation removed the ability to cause EDR; and (iii) we have used a compound that is very high in phenols (>90%), unlike GSEs used in other studies. Overall, the GSE used in the present study has been analysed in much greater detail than ones used by other investigators (see Supplementary material available at http://www.clinsci.org/cs/114/cs1140331add.htm).

Potential mechanism of action

Akt is a serine/threonine protein kinase that is recruited to the (endothelial) membrane by binding to PI3K-produced phosphoinositides. At the membrane, Akt is phosphorylated and activates eNOS (by phosphorylation at Ser¹¹⁷⁷ in humans), leading to the production of NO [17]. It has also been shown that the production of NO in response to fluid shear stress is controlled by Akt-dependent phosphorylation of eNOS [19]. However, recent studies performed in cell culture have established that polyphenolic compounds in red wine also affect the level of phosphorylation of Akt in a PI3K-dependent manner, which in turn phosphorylates




Figure 5 Effect of the GSE on eNOS and Akt phosphoryla-

(A) HUVECs were treated with vehicle (control; lane 1), GSE (lane 2), LY294002 alone (lane 3) and GSE plus LY294002 (LY+GSE). In the controls, low levels of phosphorylated Akt and eNOS were observed, which were increased after incubation with GSE (lane 2). LY294002 alone (lane 3) had no effect on phosphorylation compared with the controls, but inhibited GSE-induced phosphorylation of Akt and eNOS when incubated with GSE (lane 4). (B and C) Quantification of the immunoblots of phosphorylated Akt (p-Akt) (B) and phosphorylated eNOS (p-eNOS) (C) using densitometry (n = 4). The results are ratios of the phosphorylated and non-phosphorylated form of each enzyme. *P < 0.05 compared with the control.




Figure 6 Effect of methylation of the GSE on EDR

The responses induced by acetylcholine (Ac), the GSE and methylated GSE (Met. GSE) are shown. Ring I had acetylcholine and the GSE applied in sequence, and Ring 2 had acetylcholine, methylated GSE and the GSE applied in sequence. No relaxation was evoked by methylated GSE (n=4).

eNOS, resulting in an increased formation of NO [13]. PI3K, which is a redox-sensitive protein kinase, appears to be activated by the redox sensitivity of polyphenols,

Figure 7 Basic structure of flavanoids

Proanthocyanidins are polymeric phenolic compounds characterized by a flavanoid with the basic three-ring structure.

leading to the production of NO. It has also been shown that, in endothelial cells, phosphorylation induced by polyphenols occurs on Ser¹¹⁷⁷ of eNOS and dephosphorylation at Thr⁴⁹⁵ within a few minutes of exposure. These changes in the phosphorylation level of eNOS were maintained for at least 30 min.

The GSE used in the present study is a relatively 'pure' one, with phenolic compounds forming 93 % of its constituents. These compounds are mostly proanthocyanidins which occur as mixtures of oligomers and polymers of catechin and epicatechin (see Supplementary material available at http://www.clinsci.org/cs/114/ cs1140331add.htm). Some of the larger polymeric compounds have the capacity to complex with proteins to form tannins. Plant tannins are divided into hydrolysable and condensed forms. The former contains gallic acid and a dimeric condensation product (hexahydroxydiphenic acid) that is esterified to a polyol such as glucose. The condensed tannins are high-molecular-mass oligomers and polymers of the monomeric unit flavanol-3-ol and their gallic acid esters. The monomeric units themselves are formed through oxidative condensation by carbon-carbon bonds, normally between carbon-4 of the heterocycle carbon ring and carbon-8 of the adjacent units (Figure 7). The GSE used in the present study consisted mainly of dimers and trimers (see Supplementary material available http://www.clinsci.org/cs/114/cs1140331add.htm) and was devoid of gallic acid residues.

Polyphenolic compounds are generally considered to be antioxidants [20,21]; however, under certain circumstances, they have pro-oxidant properties attributable to the hydroxy groups in the phenolic rings. For instance, treatment of cell cultures with polyphenolic compounds significantly increased the production of ROS (reactive oxygen species) such as H₂O₂ [22,23]. It has been proposed that H₂O₂ is generated by auto-oxidation of hydroxy groups present in phenolic compounds (see Figure 1 in [23]), which subsequently activate PI3K [13,23]. Ndaye et al. [13] have shown that removal of hydroxyl radicals derived from H₂O₂

by enhancing endogenous SOD (superoxide dismutase) abolished the EDR produced by GSEs. In the present study, we have demonstrated that the removal of the hydroxy groups from the GSE by prior methylation also abolished EDR, thus supporting the important role of the hydroxy groups in producing EDR.

Conclusions

In the present study, we provide evidence to suggest that EDR evoked by the GSE is mediated by the activation of the PI3K/Akt signalling pathway, resulting in the phosphorylation of eNOS. Previous studies have suggested that GSEs activate PI3K and downstream signalling via Akt and activate eNOS through a redoxsensitive mechanism [13]. Furthermore, we found that removal of the antioxidant activity from the GSE by methylation of the hydroxy groups abolished the EDR induced by GSEs. These results support the suggestion that ROS produced by GSEs can activate eNOS to produce NO and cause vasodilation.

ACKNOWLEDGMENTS

The study was supported in part by Polyphenolics Inc., who also provided the GSE.

REFERENCES

- Aldini, G., Carini, M., Piccoli, A., Rossoni, G. and Facino, R. M. (2003) Procyanidins from grape seeds protect endothelial cells from peroxynitrite damage and enhance endothelium-dependent relaxation in human artery: new evidences for cardio-protection. Life Sci. 73, 2883–2898
- Cishek, M. B., Galloway, M. T., Karim, M., German, J. B. and Kappagoda, C. T. (1997) Effect of red wine on endothelium-dependent relaxation in rabbits. Clin. Sci. 93,
- Stoclet, J. C., Chataigneau, T., Ndiaye, M. et al. (2004) Vascular protection by dietary polyphenols. Eur. J. Pharmacol. 500, 299–313
- Plotnick, G. D., Corretti, M. C., Vogel, R. A., Hesslink, Jr, R. and Wise, J. A. (2003) Effect of supplemental phytonutrients on impairment of the flow-mediated brachial artery vasoactivity after a single high-fat meal. J. Am. Coll. Ćardiol. **41**, 1744–1749
- de Lorgeril, M., Salen, P., Paillard, F., Laporte, F., Boucher, F. and de Leiris, J. (2002) Mediterranean diet and the French paradox: two distinct biogeographic concepts for one consolidated scientific theory on the role of nutrition in coronary heart disease. Cardiovasc. Res. 54, 503-515
- 6 Chawla, R. (2004) Regular drinking might explain the
- French paradox. Br. Med. J. 329, 1308 Pastrana-Bonilla, E., Akoh, C. C., Sellappan, S. and Krewer, G. (2003) Phenolic content and antioxidant capacity of muscadine grapes. J. Agric. Food Chem. 51, 5497-5503

- 8 Fitzpatrick, D. F., Fleming, R. C., Bing, B., Maggi, D. A. and O'Malley, R. M. (2000) Isolation and characterization of endothelium-dependent vasorelaxing compounds from
- grape seeds. J. Agric. Food Chem. 48, 6384–6390
 Fitzpatrick, D. F., Bing, B., Maggi, D. A., Fleming, R. C. and O'Malley, R. M. (2002) Vasodilating procyanidary derived from grape seeds. Ann. N.Y. Acad. Sci. 957, 78–89 10 Karim, M., McCormick, K. and Kappagoda, C. T. (2000)
- Effects of cocoa extracts on endothelium-dependent relaxation. J. Nutr. 130, 2105S-2108S
- Wallerath, T., Deckert, G., Ternes, T. et al. (2002) Resveratrol, a polyphenolic phytoalexin present in red wine, enhances expression and activity of endothelial nitric oxide synthase. Circulation 106, 1652-1658
- Anselm, E., Chataigneau, M., Ndiaye, M., Chataigneau, T. and Schini-Kerth, V. B. (2007) Grape juice causes endothelium-dependent relaxation via a redox-sensitive Src- and Akt-dependent activation of eNOS. Cardiovasc. Res. 73, 404-413
- Ndiaye, M., Chataigneau, M., Lobysheva, I., Chataigneau, T. and Schini-Kerth, V. B. (2004) Red wine polyphenol-induced, endothelium-dependent NO-mediated relaxation is due to the redox-sensitive PI3-kinase/Akt-dependent phosphorylation of endothelial NO-synthase in the isolated porcine coronary artery. FASEB J. 19, 455-457
- Edirisinghe, I., Siva, B., Randolph, J., Steinberg, F., Skepper, J. and Kappagoda, T. (2006) A diet rich in saturated fat impairs endothelium dependent relaxation (EDR) in guinea pig (GP). FASEB J. 20, A287
- Siva, B., Edirisinghe, I., Randolph, J., Steinberg, F. and Kappagoda, T. (2006) Effect of a polyphenoics extracts of grape seeds (GSE) on blood pressure (BP) in patients with the metabolic syndrome (MetS). FASEB J. 20, A305
- Edirisinghe, I., McCormick-Hallam, K. and Kappagoda, C. T. (2006) Effect of fatty acids on endothelium-dependent
- relaxation in the rabbit aorta. Clin. Sci. 111, 145–151 Kawasaki, K., Smith, R. S., Hsieh, C. M. and Chao, J. (2003) Activation of the phosphatidylinositol 3-kinase/protein kinase Akt pathway mediates nitric oxide-induced endothelial cell migration and angiogenesis. Mol. Cell. Biol. 23, 5726-573.
- Ndiaye, M., Chataigneau, T., Andriantsitohaina, R., Stoclet, J. C. and Schini-Kerth, V. B. (2003) Red wine polyphenols cause endothelium-dependent EDHF-mediated relaxations in porcine coronary arteries via a redox-sensitive mechanism. Biochem. Biophys. Res. Commun. 310, 371-377
- Jin, Z. G., Ueba, H., Tanimoto, T., Lungu, A. O., Frame, M. D. and Berk, B. C. (2003) Ligand-independent activation of vascular endothelial growth factor receptor 2 by fluid shear stress regulates activation of endothelial nitric oxide synthase. Circ. Res 93, 354-363
- 20 Ariga, T. (2004) The antioxidative function, preventive action on disease and utilization of proanthocyanidins. Biofactors 21, 197-201
- 21 Koga, T., Moro, K., Nakamori, K. et al. (1999) Increase of antioxidative potential of rat plasma by oral administration of proanthocyanidin-rich extract from grape seeds. J. Âgric. Food Chem. **47**, 1892–1897
- 22 Yang, G. Y., Liao, J., Li, C. et al. (2000) Effect of black and green tea polyphenols on c-jun phosphorylation and H₂O₂ production in transformed and non-transformed human bronchial cell lines: possible mechanisms of cell growth inhibition and apoptosis induction Carcinogenesis 21, 2035-2039
- Akagawa, M., Shigemitsu, T. and Suyama, K. (2003) Production of hydrogen peroxide by polyphenols and polyphenol-rich beverages under quasi-physiological conditions. Biosci. Biotechnol. Biochem. 67, 2632–2640

Received 30 July 2007/24 September 2007; accepted 11 October 2007 Published as Immediate Publication 11 October 2007, doi:10.1042/CS20070264

Effect of Grape Seed Extract on Blood Pressure in Subjects with Pre-Hypertension

M. Robinson, B. Lu, I. Edirisinghe and C.T. Kappagoda*

Department of Internal Medicine, University of California Davis, Davis, California, USA

Abstract: Pre-hypertension affects approximately 31% of the adult population of the United States over the age of 18 years. It is defined in the 7th report of the Joint National Committee (JNC - 7) on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure as a systolic blood pressure of 120-139 mmHg or a diastolic blood pressure of 80-89 mmHg. JNC-7 also recommended that individuals considered to be prehypertensive require health-promoting lifestyle modifications to prevent cardiovascular disease. This study was undertaken to determine whether a grape seed extract (GSE) which is a nutraceutical containing vasodilator phenolic compounds lowers blood pressure in subjects with pre-hypertension. The subjects were randomized into a placebo or an experimental group (GSE at a dose of 300 mg/day) and treated for 8 weeks. Serum lipids and blood glucose were measured at the beginning of the study and at the end. The blood pressure was recorded using an ambulatory monitoring device at the start of the treatment period and at the end. Both the systolic and diastolic blood pressures were significantly lower after treatment with GSE. Treatment with the placebo had no effect on blood pressure. There were no significant changes in serum lipids or blood glucose values. These findings suggest that GSE could be used as a nutraceutical in a lifestyle modification program for patients with pre-hypertension.

Keywords: Grape seed extract, pre-hypertension, human, polyphenolics.

INTRODUCTION

Hypertension affects approximately 60% of adults in the United States [1] and remains a major cause of morbidity and mortality. Despite the availability of numerous antihypertensive medications, control of blood pressure to optimal levels remains inadequate in most patients. In people over the age of 18 years, the prevalence of pre-hypertension alone in the U.S. is 31% [1]. It is defined by the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure in its Seventh Report (JNC 7) [2] as a systolic blood pressure between 120 and 139 mmHg or a diastolic blood pressure between 80 and 89 mmHg. Current guidelines recommend that these individuals should be managed by lifestyle modifications which include exercise, weight management, salt restriction and consumption of a diet rich in fruits and vegetables [2].

There is evidence that such a regimen which includes vegetables and fruits coupled with a low fat intake has a beneficial effect on blood pressure [3]. It has been suggested that this effect is at least in part due to the presence of phenolic compounds in the plant products [4]. These compounds have also been shown to have vasodilator effects [5-7]. Of all the phenolic compounds, those derived from grape seeds appear to have received the most attention, possibly because of their involvement with the French Paradox [8].

*Address corresponding to this author at the Department of Internal Medicine, University of California, Davis, TB 172, Division of Cardiovascular Medicine, One Shields Avenue, Davis CA 95616, USA; Tel: 530 754 9867; Fax: 530 752 3264; E-mail: ctkappagoda@ucdavis.edu

ISSN: 2223-3806 / E-ISSN: 1927-5951/12

Previous studies completed in our laboratory have shown that extracts derived from grape seeds causes an endothelium dependent relaxation in rings of the rabbit aorta that is mediated by nitric oxide. This process is initiated by phosphorylation of nitric oxide synthase through the PI3K/Akt pathway. Inhibition of this pathway also abolishes the endothelium dependent relaxation and up-regulates nitric oxide synthase in human umbilical vein endothelial cells [9]. In humans, the extract was also found to lower blood pressure in patients diagnosed with the metabolic syndrome [10]. A similar effect has also been demonstrated with a freeze dried product of grapes in people with the metabolic syndrome [11].

The investigation reported here was undertaken to test the hypothesis that a well characterized extract of grape seeds lowered blood pressure in subjects with pre-hypertension. The trial was a single center, double blind, placebo controlled, parallel arm study which lasted 8 weeks. The study was approved by the Internal Review Board of the University of California.

METHODS

The study was conducted on a convenience sample of 66 adults (age 25-80 years) who were screened for pre-hypertension. Those with average day time blood pressures which met the JNC 7 criteria for pre-hypertension (systolic blood pressures between 120 and 139 mmHg or diastolic blood pressures between 80 and 89 mmHg) were enrolled in the trial after obtaining written consent. The exclusion criteria were as follows: smokers (abstinence for < 1 year), clinical

© 2012 Lifescience Global

evidence of coronary artery, pulmonary, gastro intestinal or renal disease, consumption of prescription medications and vitamin preparations.

After baseline biochemical and hematological parameters were measured, all subjects commenced a two-week placebo run-in period. During this period they were fitted with an ambulatory blood pressure measuring system to confirm the diagnosis of prehypertension. (Model SE-25S; Sein Electronics, Koyang, South Korea). This system has been evaluated using a protocol approved by the British Hypertension Society (www.tiba.medical.com). It was programmed to record the blood pressure every hour for 12 hours after waking up. At the end of two weeks, the subjects had a second ambulatory blood pressure measurement (12 hour) and were randomized subsequently to receive a capsule containing either a placebo (Maltodextrin) or a grape seed extract (300 mg) daily. The grape seed extract used in this study was Meganatural BP ® (Polyphenolics Inc., Madera, California). The subjects were advised to maintain their usual level of activity and diet. The latter was monitored by examining a 4-day food diary which was completed at the start and at the end of the study. After a further 8 weeks, a final ambulatory blood pressure was recorded and blood was drawn for measurement of biochemical and hematological parameters. In each instance, the average of 12 values was taken as the mean day time blood pressure.

The distribution of phenolic compounds in the grape seed extract is shown in Table 1. The ORAC value of the compound was 16,810 μ mol Trolox equivalents/g. The average degree of polymerization is 2.3. (These details are archived with reference [9]). In a previous study, administration of this grape seed extract (300 mg) (n=5) resulted in a 10-fold increase in plasma catechin levels from a baseline value of 2.0 \pm 4 after 90 minutes. There were no significant changes in subjects given placebo capsules [10].

Fasting blood samples were collected for the following measurements at the start of the study and at the end: hemoglobin, white cell count with differential, serum lipids, chemistry panel, blood glucose, plasma insulin, and oxidized low-density lipoprotein (Ox-LDL). The Ox-LDL concentration in plasma was measured using an mAb-4E6-based enzyme-linked lmmunosorbent assay (Mercodia, Uppsala, Sweden). The analysis was undertaken by Shiel Laboratories, New York.

Statistical Analysis

The primary endpoints were the mean day-time systolic and diastolic blood pressures. Secondary endpoints were the changes in serum lipids and oxidized LDL. Baseline values in the 2 groups were compared using a t test. A p value of 0.05 with an associated power of 0.08 was taken to indicate statistical significance.

RESULTS

Sixty six subjects were screened for the study and 34 met the criteria for pre-hypertension. Two refused to participate in the trial and remaining 32 were randomized. The baseline clinical data are given in Table 2. There were no significant differences in the baseline parameters in these subjects.

At the end of 8 weeks both systolic and diastolic blood pressures in the group receiving GSE were significantly lower than those in the placebo group. These findings are summarized in Table 2. There were also no changes in body weight, blood counts, serum electrolytes and chemistry and glucose values during the course of the study.

There were also no changes in the serum total, LDL and HDL cholesterol values in both groups. An interim analysis was performed on the oxidized LDL values after 8 subjects in each group had completed the study.

Table 1: Composition of the Grape Seed Extract (n = 8). Original Data Archived with Ref [9] http://www.clinsci.org/cs/114/cs1140331add.htm

Total Phenol content (gallic acid equivalents (g/100g)	93.9± 0.9	
Epicatechin gallate terminal units (%)	0%	
Epicatechin gallate extension units (%)	5.7± 0.6	
Monomers (%) *	9.1± 1.2	
Oligomers (%) *	68.7± 1.2	
Polymers (%) *	22.3± 0.6	
Catechin and epicatechin by weight (%)	9.9± 0.6	

^{*}Determined by reverse-phase HPLC using peak area.

Table 2: Baseline Clinical Data

	Placebo	GSE
Age (yr)	54±3	50±2.5
Male/female	6/10	9/7
Total cholesterol (mg/dl)	204±9	200±10
LDL (mg/dl)	134±9	128±9
HDL (mg/dl)	48 ±3	55±4
Triglycerides (mg/dl)	100±12	146±18
Oxidized LDL (mU/l) (n=8)	43.3±3	41.2±3

It was found that the baseline values were similar in both groups (Table 1) and the there were no significant changes after two months in either group. These interim measurements were done without compromising the blinded status of the study. No additional measurements of oxidized LDL were undertaken on the other subjects.

DISCUSSION

This study was undertaken to test the hypothesis that polyphenolic compounds found in grape seed lowers blood pressure in people with pre-hypertension. It was a follow up to a previous study which showed that these compounds lowered blood pressure in people who met the diagnostic criteria for the metabolic syndrome. Both these conditions affect nearly half the adult population of the United States and the current recommendations of the National Cholesterol Education Program [12] and the JNC-7 [2] are that the majority of these patients should be managed by encouraging them to undertake lifestyle changes which address weight management, physical activity, reducing the intake of salt and dietary/nutritional changes. The latter includes the consumption of two cups of fruit and 21/2 cups of vegetables per day for a reference 2,000-calorie intake. It has been suggested that fruits and vegetables, particularly those with higher polyphenolic content such as grapes, strawberry, blueberry and pomegranate, influence biological mechanisms which could have favorable effects on human health due to their ability to modulate oxidative and inflammatory stress in peripheral tissues [13-16].

Grape seeds contain approximately 3000 mg of phenols/kg of fresh weight made up principally of monomeric flavan-3-ols (which includes among other compounds (+) catechin and (-) epicatechin), oligomeric proanthocyanidins polymeric and condensed tannins [17]. The extract used in the present study contained significant quantities of oligomers and no terminal gallate units (see methods). This particular extract has been shown to produces an endothelium dependent relaxation in rings of the rabbit aorta in-vitro [9]. The endothelium dependent relaxation evoked by the extract is mediated by the activation of the PI3K/Akt signalling pathway, resulting in the phosphorylation of eNOS through a redoxsensitive mechanism [18]. Removal of the antioxidant activity from the extract by methylation of the hydroxy groups abolished the endothelium dependent relaxation induced by the grape seed extract [9].

Based upon this evidence, a small placebo controlled clinical trial was undertaken in patients with the metabolic syndrome to determine whether this grape seed extract lowered the blood pressure. This study showed that the extract when administered orally

Table 3: Changes in Blood Pressure (mmHg)

	GRAPE SEED EXTRACT 300 mg/day (n = 16)		PLACEBO (n = 16)	
	SBP	DBP	SBP	DBP
Start	133 ± 2	79 ± 2	132 ± 2	79 ± 2
2 months	125 ± 2	74 ± 2	133 ± 2	82 ± 2
р	<0.001	<0.003	0.8	0.03
Power at p<05	>0.9	>0.85	NS	0.5

at a dose of 300 mg daily resulted in a significant reduction in blood pressure. The extract also appeared to reduce the concentration of oxidized LDL particularly when the baseline values were greater than 60 mg/l. In addition the plasma also showed evidence of absorption of polyphenolic compounds. A recently reported study by Barona *et al.* [11] showed that consumption of a freeze dried powder of grape products also resulted in a reduction of blood pressure in patients who had the metabolic syndrome. The subjects consumed sufficient quantities of the powder to yield approximately 266 mg of phenols.

In the present study we examined the effect of the extract on blood pressure in people with prehypertension as defined by the Joint National Committee. In this placebo controlled study, there was a significant reduction in both systolic and diastolic blood pressures. There was no effect on oxidized LDL. However, unlike in the patients with the metabolic syndrome who participated in the previous study [10], all the subjects in the in the present study had plasma oxidized LDL values that were less than 50 mU/l.

LIMITATIONS

Several studies have shown that the consumption of appropriate quantities of fruit and vegetables in the United States falls far short of current recommendation (e.g. [19]). Nutraceutical supplementation could provide a means of addressing some of the health problems that stem from an inappropriate diet in the short and medium term such as hypertension and obesity. The studies described in this paper are essentially small trials that attempt to prove the concept that polyphenolic compounds present in grape seed are prototypes of biologically active compounds commonly found in fruits and vegetable which could form the nonpharmaceutical basis for managing pre-hypertension. It is recognized that larger placebo controlled long-term trials (conducted extending over several years) are required to determine whether these compounds reduce the number of people transitioning from prehypertension to overt hypertension.

ACKNOWLEDGEMENTS

The study was supported by Polyphenolics Inc, Madera, California.

REFERENCES

[1] Wang Y, Wang Q. The prevalence of prehypertension and hypertension among us adults according to the new joint

- national committee guidelines: New challenges of the old problem. Arch Intern Med 2004; 164: 2126-34. http://dx.doi.org/10.1001/archinte.164.19.2126
- [2] Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA. The seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure: The JNC 7 report. JAMA 2003; 289: 2560-71. http://dx.doi.org/10.1001/jama.289.19.2560
- [3] Appel LJ, Moore TJ, Obarzanek E, et al. A Clinical Trial of the Effects of Dietary Patterns on Blood Pressure. N Eng J Med 1997; 336: 1117-24. http://dx.doi.org/10.1056/NEJM199704173361601
- [4] Chong MF, Macdonald R, Lovegrove JA. Fruit polyphenols and CVD risk: a review of human intervention studies. Br J Nutr 2010; 104(Suppl S3): S28-S39. http://dx.doi.org/10.1017/S0007114510003922
- [5] Stoclet JC, Chataigneau T, Ndiaye M, et al. Vascular protection by dietary polyphenols. Eur J Pharmacol 2004; 500: 299-13. http://dx.doi.org/10.1016/ji.ejphar.2004.07.034
- [6] Cishek MB, Galloway MT, Karim M, German JB, Kappagoda CT. Effect of red wine on endothelium-dependent relaxation in rabbits. Clin Sci (Lond) 1997; 93: 507-11.
- [7] Fitzpatrick DF, Fleming RC, Bing B, Maggi DA, O'Malley RM. Isolation and Characterization of Endothelium-Dependent Vasorelaxing Compounds from Grape. Seeds J Agric Food Chem 2012/07/28 2000; 48: 6384-90.
- [8] de Lorgeril M, Salen P, Paillard F, Laporte F, Boucher F, de Leiris J. Mediterranean diet and the French paradox. Cardiovasc Res 2002; 54: 503-15. http://dx.doi.org/10.1016/S0008-6363(01)00545-4
- [9] Edirisinghe I, Burton-Freeman B, Kappagoda CT. Mechanism of the endothelium-dependent relaxation evoked by a grape seed extract. Clin Sci (Lond) 2008; 114: 331-37. http://dx.doi.org/10.1042/CS20070264
- [10] Sivaprakasapillai B, Edirisinghe I, Randolph J, Steinberg F, Kappagoda T. Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. Metabolism 2009; 58: 1743-46. http://dx.doi.org/10.1016/j.metabol.2009.05.030
- [11] Barona J, Aristizabal JC, Blesso CN, Volek JS, Fernandez ML. Grape Polyphenols Reduce Blood Pressure and Increase Flow-Mediated Vasodilation in Men with Metabolic Syndrome. J Nutr 2012; 142: 1626-32. http://dx.doi.org/10.3945/jn.112.162743
- [12] Executive Summary of The Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, And Treatment of High Blood Cholesterol In Adults (Adult Treatment Panel III). JAMA 200; 285: 2486-97.
- [13] Rahman I, Biswas SK, Kirkham PA. Regulation of inflammation and redox signaling by dietary polyphenols. Biochem Pharmacol 2006; 72: 1439-52. http://dx.doi.org/10.1016/j.bcp.2006.07.004
- [14] Leifert WR, Abeywardena MY. Cardioprotective actions of grape polyphenols. Nutr Res 2008; 28: 729-37. http://dx.doi.org/10.1016/j.nutres.2008.08.007
- [15] Meeprom A, Sompong W, Suwannaphet W, Yibchok-anun S, Adisakwattana S. Grape seed extract supplementation prevents high-fructose diet-induced insulin resistance in rats by improving insulin and adiponectin signalling pathways. Br J Nutr 2011; 106: 1173-81. http://dx.doi.org/10.1017/S0007114511001589
- [16] Kim Y, Choi Y, Ham H, Jeong HS, Lee J. Antioxidant and cytoprotective effects of oligomeric and polymeric procyanidin fractions from defatted grape seed in PC12 cells. J Med Food 2012; 15: 490-94. http://dx.doi.org/10.1089/jmf.2011.1963

- Waterhouse AL, Walzem RL. Nutrition of Grape Phenolics. [17] In: Rice-Evans CA, Packer L, Eds. Flavonoids in Health and Disease. New York: Marcel Dekker, Inc. 1998; pp. 359-385.
- Ndiaye M, Chataigneau M, Schini-Kerth VB, Lobysheva I, Chataigneau T, Schini-Kerth VB. Red wine polyphenolsinduced, endothelium-dependent NO-mediated relaxation is due to the redox-sensitive PI3-kinase/Akt-dependent phosphorylation of endothelial NO-synthase in the isolated porcine coronary artery. FASEB J 2004.
- [19] Centers for Disease Control and Prevention. State-Specific Trends in Fruit and Vegetable Consumption Among Adults ---United States, 2000--2009. Morbidity and Mortality Weekly Report (MMWR) Page last reviewed: September 10, 2010. 2012. Accessed July 17th Available from http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5935a1.ht

Received on 25-09-2012 Accepted on 15-09-2012 Published on 05-11-2012

DOI: http://dx.doi.org/10.6000/1927-5951.2012.02.02.6

© 2012 Robinson et al.; Licensee Lifescience Global.

This is an open access article licensed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/3.0/) which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.

Polyphenolics in the News

For more news stories, magazine articles and videos about Polyphenolics and MegaNatural products, go to:

http://www.polyphenolics.com/media/

